Categorical Exclusion

(Version: FEB06)

Compliance Tracking Number: 2005-085 PEPC Project Number: 15011

A. PROJECT INFORMATION

Title: Abbieville Sewer Lift Station ReplacementLocation: El Portal, Mariposa County, CaliforniaProject Manager: John Chisum, Facilities Management, Yosemite National Park

B. COMPLIANCE DETERMINATION

This project is an action that has been determined to result in no measurable environmental effects. It is therefore categorically excluded from further National Environmental Policy Act analysis under Categorical Exclusion: DO12 3.4 *C* (8) - *Replacement in kind of minor structures and facilities with little or no change in location, capacity, or appearance-for example, comfort stations, pit toilets, fences, kiosks, signs, and campfire circles.*

Necessary compliance coordination has been completed regarding the National Historic Preservation Act, the Wilderness Act, the Wild and Scenic Rivers Act, and the Endangered Species Act, as applicable. Environmental impacts will be minor or less when the project is implemented with the conditions stipulated under **Project Mitigations and Conditions** in **Section I** at the end of the attached *Environmental Screening Form*.

Additional supporting information for this determination and the stipulated conditions can be found in the following attachments (when checked):

Cultural Resource Effects Assessment Form (XXX)

Wilderness Minimum Requirement Analysis

Wild and Scenic River Section 7 Determination

Park Management Terms and Conditions

Other:

C. DECISION

On the basis of the environmental impact information in the statutory compliance file, with which I am familiar, I am categorically excluding the described project from further NEPA analysis. No exceptional circumstances or conditions in DO12 3.5 or 3.6 apply and the action is fully described in DO12, Section 3.4.

//Signed Original on File//

4/12/06

Michael J. Tollefson

Date

Original: Statutory Compliance File cc: Project Proponent

Attachments (2)



United States Department of the Interior

NATIONAL PARK SERVICE Yosemite National Park P.O. Box 577 Yosemite, California 95389

IN REPLY REFER TO: L7617 (YOSE-PM)

Memorandum

To: John Chisum, Project Manager, Facilities Management, Yosemite National Park

From: Superintendent, Yosemite National Park

Subject: Notice to Proceed, 2005-085 Abbieville Sewer Lift Station Replacement

Your proposed project is an action that has been determined to result in no measurable environmental effects. It is therefore categorically excluded from further National Environmental Policy Act analysis under Categorical Exclusion: DO12 3.4 *C* (8) - *Replacement in kind of minor structures and facilities with little or no change in location, capacity, or appearance-for example, comfort stations, pit toilets, fences, kiosks, signs, and campfire circles.*

Necessary compliance coordination has been completed regarding the National Historic Preservation Act, the Wilderness Act, the Wild and Scenic Rivers Act, and the Endangered Species Act, as applicable. This project clearance is valid providing that you adhere to the conditions stipulated in the enclosed *Categorical Exclusion Form* and associated documents when implementing this project.

<u>//Signed Original on File//</u> Michael J. Tollefson _____4/12/06_____ Date

Enclosure (with attachments)

cc: Statutory Compliance File

Environmental Screening Form

Compliance Tracking Number: **2005-085** PEPC Project Number: 15011

A. PROJECT INFORMATION

Title: Abbieville Sewer Lift Station Replacement

Location: El Portal, Mariposa County, California

Project Manager: John Chisum, Facilities Management, Yosemite National Park

B. PROJECT DESCRIPTION AND BACKGROUND

This project will replace the failing lift station located along Abbie Road in El Portal. The new station will be the modern equivalent of the existing station and will be placed directly adjacent to the existing facility. The pumps will be non-grinder, 40 gpm pumps capable of sustaining a 44 foot dynamic head. The new pumps will be rail mounted submersibles or dry well mounted to allow for easy serviceability and eliminate the need for OSHA-required confined space entry team.

Table B1 – Background Information

		Yes	No	N/A	Explanation/Notes
1.	Did NPS staff conduct a site visit? If yes, list attendees. If no, explain.	\boxtimes			Historic Landscape Architect
2a.	Is the project providing compliance for an action associated with but not covered by an approved plan? (Identify the plan and provide a section or page citation.); OR				
2b.	Is the project in an approved plan? (Identify the plan and provide a section or page citation.		\square		
2c.	Is the project consistent with that plan?			\boxtimes	
2d.	Is the Plan's CE, FONSI, or ROD current?			\boxtimes	
3a.	Are there any interested or affected parties?		\boxtimes		
3b.	Has a diligent effort been made to communicate with them?				
4a.	Are there any affected agencies or tribes?		\boxtimes		
4b.	Has consultation been completed?				

Table B2 – Environmental Screening Form Attachments (provide Attachment letter—A, B, etc.)

		Yes	No	N/A	Explanation/Notes
1.	Maps: 2 required (vicinity map & site map)	\boxtimes			Vicinity map; see Attachment A.
2.	Drawings (e.g., design, construction)	\bowtie			Design specifications; see Attachment B.
3.	Site Plans		\boxtimes		
4.	Photographs	\bowtie			Existing location; see Attachment C.
5.	Non-NEPA/NHPA Approvals (Explain)		\boxtimes		
6.	Other (Explain)		\boxtimes		

C. ASSESSMENT OF POTENTIAL RESOURCE EFFECTS

	e any impacts possible on the following ources?	Yes	No	N/A	Data Needed to Determine/Notes
1.	Geologic resources: soils, bedrock, streambeds, etc	\boxtimes			Negligible; project entails 280 cubic yards of soil disturbance in a previously disturbed area.
2.	From geohazards				
3.	Air quality	\boxtimes			Negligible; temporary during construction.
4.	Soundscapes	\boxtimes			Negligible; temporary during construction.
5.	Water quality or quantity		\boxtimes		
6.	Stream flow characteristics		\boxtimes		
7.	Marine or estuarine resources			\boxtimes	
8.	Floodplains or wetlands		\boxtimes		
9.	Land use, including occupancy, income, values, ownership, type of use		\boxtimes		
	Rare or unusual vegetation – old growth timber, riparian, alpine		\square		
11.	Species of special concern (plant or animal; state or federal listed or proposed for listing) or their habitat		\boxtimes		
12.	Unique ecosystems, biosphere reserves, World Heritage Sites		\boxtimes		
13.	Unique or important wildlife or wildlife habitat		\boxtimes		
14.	Unique or important fish or fish habitat		\boxtimes		
15.	Introduce or promote non-native species (plant or animal)	\boxtimes			Mitigated; see condition 1 below.
16.	Recreation resources, including supply, demand, visitation, activities, etc.		\boxtimes		
17.	Visitor experience, aesthetic resources		\boxtimes		
18.	Cultural resources including cultural landscapes, ethnographic resources	\boxtimes			El Portal Cultural Landscape; the assessment of effect is "No Adverse Effect;" see the attached XXX.
19.	Socioeconomics, including employment, occupation, income changes, tax base, infrastructure		\boxtimes		
20.	Minority and low income populations, ethnography, size, migration patterns, etc.		\square		
21.	Energy resources		\boxtimes		
22.	Other agency or tribal land use plans or policies		\boxtimes		
23.	Resource, including energy, conservation potential		\boxtimes		
24.	Urban quality, gateway communities, etc.		\boxtimes		
25.	Long-term management of resources or land/resource productivity		\boxtimes		
26	Other important environment resources (e.g. geothermal, paleontological resources)?		\square		

Comments, Mitigations and Conditions:

1. Ensure that all equipment and materials brought into the park are free of non-native, invasive plants and animals, and noxious weeds. All staff working on site shall be informed of and follow best management practices for preventing the introduction and spread of non-native, invasive species as described in Division 1 specifications, Section 1355. (Environmental Planning & Compliance Office)

D. MANDATORY CRITERIA

verse ed XXX.
verse ed XXX.

Comments, Mitigations and Conditions:

- 1. Submit an Accident Prevention Plan to the park Safety Office (379-1079) for review and approval before proceeding with this work. (Safety Office)
- Ensure that all equipment and materials brought into the park are free of non-native, invasive plants and animals, and noxious weeds. All staff working on site shall be informed of and follow best management practices for preventing the introduction and spread of non-native, invasive species as described in Division 1 specifications, Section 1355. (Environmental Planning & Compliance Office)
- 3. See condition 1 & 2 under Section F, National Historic Preservation Act Checklist.

E. SPECIAL STATUS SPECIES CHECKLIST

Within the area of potential effect, are there:	Yes	No	N/A	Data Needed to Determine/Notes		
1. Listed or proposed threatened or endangered species (Federal or State)?		\boxtimes				
2. Species of special concern (Federal or State)?		\square				
3. Park rare plants or vegetation?		\boxtimes				
4. Potential habitat for any special-status species listed above?		\boxtimes				
If "yes" to any of the above questions, a Special-Status Species Checklist must be completed and attached.						
Comments, Mitigations and Conditions:						

I. None

F. NATIONAL HISTORIC PRESERVATION ACT CHECKLIST

Wi	thin the area of potential effect:	Yes	No	N/A	Data Needed to Determine/Notes
1.	Will there be ground disturbance?	\boxtimes			The assessment of effect is "No Adverse Effect;" see the attached XXX.
2.	Are there any archeological sites?		\boxtimes		
3.	Are there any Native American Indian traditional cultural resources?	\boxtimes			American Indian Traditional Cultural Use Area; the assessment of effect is "No Adverse Effect;" see the attached XXX.
4.	Is the project within the boundary of an archeological or historic landscape or district?	\boxtimes			El Portal Archeological District; the assessment of effect is "No Adverse Effect;" see the attached XXX.
5a.	Is there a National Historic Landmark?		\boxtimes		
5b.	Is there a structure(s) on the park's <i>List of</i> <i>Classified Structures</i> ?		\square		
5c.	Is there a historic property with a DOE and concurrence by the SHPO or a completed National Register form?		\boxtimes		
5d.	Is there a cultural property requiring review under NHPA, Section 106?		\square		
6.	Would there be alteration of a structure or cultural landscape covered by 5a-d, above?	\square			Mitigated; El Portal Cultural Landscape; the assessment of effect is "No Adverse Effect;" see condition 1 and 2 below and the attached XXX.
If "	ves" to any of the above, then an Assessment of	of Effe	cts fo	rm (Y	OSE-XXX) must be completed and attached.

Mitigations and Conditions:

- 1. Construct the lift station such that it is at most 16" to 20" above the ground level, to achieve an elevation 1' above the 1997 flood waters. (Resources Management and Sciences)
- 2. Powder coat all visible exterior surfaces (sides and top) brown, or create a condition that promotes a rust patina within one year after installation, in order to be compatible with the cultural landscape. (Resources Management and Sciences)

G. WILDERNESS ACT CHECKLIST

Is the proposed project:	Yes	No	N/A	Data Needed to Determine/Notes		
1. Within designated Wilderness?		\boxtimes				
2. Within a Potential Wilderness Addition?		\boxtimes				
If "yes" to either of the above, then a Wilderness Minimum Requirements Analysis must be completed and attached.						
Mitigations and Conditions:						
1. None						

H. WILD AND SCENIC RIVERS ACT CHECKLIST

Do	es the proposed project:	Yes	No	N/A	Data Needed to Determine/Notes
1.	Fall within a wild and scenic river corridor? If 'yes'', name the river(s)	\bowtie			Merced River
2.	Fall within the bed and banks AND affect the free-flow of the river?		\square		
3.	Potentially affect water quality of the area?		\boxtimes		
4.	Remain consistent with its river segment classification?	\boxtimes			Abbieville Sewer Lift Station Replacement is consistent with this river segment's classification of "Recreational."
5.	Protect and enhance river ORVs?	\boxtimes			Abbieville Sewer Lift Station Replacement will protect and enhance river ORVs.
ба.	Fall within the River Protection Overlay?		\boxtimes		
6b.	If "yes", is it consistent with conditions of the River Protection Overlay?			\boxtimes	
7.	Remain consistent with the areas Management Zoning?	\boxtimes			Abbieville Sewer Lift Station Replacement is consistent with this area's management zoning of "3C - Park Operation and Administration."
8a.	Fall on a tributary of a Wild and Scenic River?		\boxtimes		
8b.	If 9a is "yes", will the project affect the Wild and Scenic River corridor?		\square		
8c.	If 9a is "yes", will the project unreasonably diminish scenic, recreational, or fish and wildlife values?		\boxtimes		
	yes" to questions 2, 9b, or 9c, then a WSRA Se	ection	7 dete	ermina	tion must be completed and attached.
Mi	tigations and Conditions:				
1.	None				

I. NEPA Analysis and Approval Conditions

When implemented as detailed in the project description and following all Project Mitigations and Conditions listed below, this project meets the terms and conditions of a categorical exclusion to NEPA.

Applicable Categorical Exclusion:

Notwithstanding that the new lift station will be constructed adjacent to the existing station and new equipment will be used to meet current standards, lift station size and capacity would remain the same; therefore the project is covered under DO12 C(8) - Replacement in kind of minor structures and facilities with little or no change in location, capacity, or appearance-for example, comfort stations, pit toilets, fences, kiosks, signs, and campfire circles.

Project Mitigations and Conditions:


- 1. Submit an Accident Prevention Plan to the park Safety Office (379-1079) for review and approval before proceeding with this work. (Safety Office)
- 2. Construct the lift station such that it is at most 16" to 20" above the ground level, to achieve an elevation 1' above the 1997 flood waters. (Resources Management and Sciences)
- 3. Powder coat all visible exterior surfaces (sides and top) brown, or create a condition that promotes a rust patina within one year after installation, in order to be compatible with the cultural landscape. (Resources Management and Sciences)
- 4. Design capacity must accommodate full capacity of existing housing area (i.e. not proposed housing from the Yosemite Valley Plan). (Project Management)
- 5. Ensure that all equipment and materials brought into the park are free of non-native, invasive plants and animals, and noxious weeds. All staff working on site shall be informed of and follow best management practices for preventing the introduction and spread of non-native, invasive species as described in Division 1 specifications, Section 1355. (Environmental Planning & Compliance Office)

This project has been reviewed in accordance with the above criteria and it has been determined that the project will result in no or minimal environmental effects. Therefore, it is categorically excluded from further environmental review required under the National Environmental Policy Act. Additionally, the necessary compliance coordination has been completed with regard to the National Historic Preservation Act, the Wilderness Act, the Wild and Scenic Rivers Act, and the Endangered Species Act. GWColliver//Signed Original on File// 3/29/06Compliance SpecialistDate


Mark A Butler //Signed Original on File// 4/4/06Compliance Program ManagerDate


Bill Delaney//Signed Original on File//4/10/06Chief, Project ManagementDate

Attachment A









D-1

Attachment C



Preservation Assessment Form (YOSE XXX)

(Version: FEB06)

Compliance Tracking Number: 2005-085 PEPC Project Number: 15011

A. DESCRIPTION OF UNDERTAKING

Title: Abbieville Sewer Lift Station Replacement

NPS Project Manager: Facilities Management, John Chisum

Project Location and Area of Potential Effect:

Mariposa County, California. El Portal, Yosemite National Park

El Portal Archeological District, and Old El Portal Cultural Landscape

Project Description:

This project will replace the failing lift station located along Abbie Road in El Portal. The new station will be the modern equivalent of the existing station and will be placed directly adjacent to the existing facility. The pumps will be non-grinder, 40 gpm pumps capable of sustaining a 44 foot dynamic head. The new pumps will be rail mounted submersibles or dry well mounted to allow for easy serviceability and eliminate the need for OSHA-required confined space entry team.

1.Atta	ched Sensitive Information**	Yes	No		Explanation/Source/Notes
a.	Maps	\boxtimes		CR GIS	
b.	Drawings		\boxtimes		
с.	Site Plans		\boxtimes		
d.	Photographs		\boxtimes		
e.	Sample		\boxtimes		
f.	List of Materials		\boxtimes		
g.	Other (Explain)		\boxtimes		

** Sensitive documents not for duplication or distribution beyond park management, subject matter experts, and the project statutory compliance file.

B. DESCRIPTION OF EFFECTS

		Yes	No	N/A	Explanation/Notes
1. Has the Area of Potential Ef	fect been				El Portal Archeological District
surveyed to identify historic	properties?	\boxtimes			Old El Portal CLI
If Yes, provide reference for t					
a. Would the proposed action	affect a	\boxtimes			Ground disturbance; add a structure to the
known historic property?					landscape.
2. List all Historic Properties i	n the Area of	Affec	ted?		Explanation/Notes
Potential Effect:		Yes	No		
a. CA MRP-0360		\boxtimes			nd disturbance
b. El Portal Cultural Landsca	pe	\square		Add	structure
с.					
3. List resources in the Area of		Affec	ted?		
Effect to which American In		Yes	No		Explanation/Notes
cultural and religious signifi					
a. American Indian Tradition	al cultural use	\boxtimes		Grou	nd disturbance, vegetation disturbance.
area.					
b.		H	H		
С.					
4 The managed action mills		Vag	Na	NT/A	E-mlonation (Nata
4. The proposed action will:		Yes	No	N/A	Explanation/Note
 Destroy, remove, or alter fe elements from a historic structure 			\boxtimes		
Replace historic features/ele			\boxtimes		
 Add nonhistoric features/ele 					
historic structure	chieffits to a		\boxtimes		
Alter or remove features/ele	ements of a				
historic setting or environm			\boxtimes		
terrain)	6				
Add nonhistoric features/ele	ements				
(including visual, audible, o	r atmospheric)	\boxtimes			
to a historic setting or cultur	ral landscape				
• Disturb, destroy, or make an					
resources inaccessible, or al	ter associated		\boxtimes		
terrain					
• Disturb, destroy, or make et				_	
resources inaccessible, or al	ter associated		\boxtimes		
terrain					
• Begin or contribute to the d					
historic fabric, terrain, settin elements, or archeological of			\boxtimes		
ethnographic resources)r				
 Involve a real property trans 	section				
affecting historic cultural pr					
the exchange, sale, or lease			\boxtimes		
structures)	01 14114 01				
Potentially affect presently	unidentified				
historic resources			\boxtimes		
• Other			\boxtimes		

5. Describe any measures that are incorporated as part of this project that will be taken to prevent or minimize loss or impairment of prehistoric or historic fabric, setting, integrity, or data:

Checklist prepared by: Jeannette Simons Title: Historic Preservation Officer Date: 4/14/06

C. SPECIALIST SECTION

Specialists: Your comments here (or attached) show that you have reviewed this proposal for conformity with requirements of *National Historic Preservation Act, Section 106*; with the 1995 *Servicewide Programmatic Agreement* (if applicable); with applicable parts of the *Secretary of the Interior's Standards and Guidelines for Archeology and Historic Preservation*; with the NPS *Management Policies* and *Cultural Resource Management Guideline*; and have given your best professional advice about this project and the issues relevant to the Section 106 process, including identification and evaluation of historic properties and further consultation needs.

Archeologist Comments:	Name: Laura Kirn	Date:3/8/06
Ground Disturbance Involved Assessment of Effect: No effect.	Yes: No:	
Recommended Conditions:		
Signature of Archeologist://Sign	ed Original on File//	
Cultural Anthropologist Comments:	Name: Sonny Montague	Date:
Assessment of Effect:		
Recommended Conditions:		
Signature of Cultural Anthropologi	st:	
Curator Comments:	Name: Jonathan Bayless	Date:3/8/06
Assessment of Effect: No adverse	effect	
Recommended Conditions:		

Signature of Curator: _//Signed Original on File//_

Historian	Name: Charles Palmer	Date:3/8/06	
Comments:			
Assessment of Effect: No adverse	offort		
Recommended Conditions:			
Signature of Historian://Signed Original on File//			
Historic Architect	Name: Sueann Brown	Date:3/8/06	
Comments:	Name. Sucann Drown	Date. 5/ 8/00	
comments.			
Assessment of Effect: No effect			
Recommended Conditions:			
Signature of Historic Architect: //Signed Original on File//			
Historia Landsona Anchitaat	Name Stower Tengenger	Date:3/8/06	
Historic Landscape Architect Comments:	Name. Steven Torgerson	Date. 5/ 8/00	
comments.			
Assessment of Effect: No adverse effect, see conditions.			
Recommended Conditions: Abide by condition so email 08/17/2006 Steven Torgerson			

Signature of Historic Landscape Architect: //Signed Original on File//_____

Preservation Specialist Comments:	Name: Doug Martin	Date:3/08/06	
Assessment of Effect: no adverse effect.			
Recommended Conditions: Recommended Conditions			
Signature of Preservation Specialis	st: <u>//Signed Original on File//</u>		
Native American Liaison	Name: Jeannette Simons	Date:	
Comments:			
Assessment of Effect:			
Recommended Conditions:			
Signature of Native American Liaison:			
<enter specialist="" title=""></enter>	Name:	Date:	
Comments:			
Assessment of Effect:			
Recommended Conditions:			

Signature of <Enter Specialist Title>: _____

D. RESOURCES MANAGEMENT AND SCIENCE DIVISION AND PARK 106 COORDINATOR REVIEWS AND RECOMMENDATIONS

1. Review by specialists: The appropriate subject-matter experts have reviewed the project and entered their comments and recommendations in Section C, above.

The foregoing assessment is adequate: the proposed action is consistent with all applicable NPS management policies, standards, guidelines, or US DOI standards and guidelines, Rehabilitation of Historic Buildings, or others, and incorporates measures to avoid Adverse Effects.

Reviewed and Accepted by:

Signature: <u>Niki Stephanie Nicholas</u> <u>//Signed Original on File//</u> Date: <u>3/20/06</u> Chief of Resources Management & Science Division

2. Assessment of Effects: No adverse effect

3. Compliance Requirements: The following is the park's assessment of Section 106 process needs and requirements for this undertaking.

Standard 36 CFR Part 800 Consultation

Consultation under 36 CFR is needed subsequent to the preparation of this form and its review by appropriate historic resource management advisors.

Undertaking related to the 1995 NPS Programmatic Agreement

The above action meets all conditions for a programmatic exclusion under Stipulation IV. A of the 1995 NPS programmatic agreement, and is listed in Stipulation IV. B, as:

<Choose Type of Undertaking>

□ Plan-Related Undertaking

Consultation and review of the proposed undertaking were completed in the context of a plan review process, in accordance with the 1995 NPS programmatic agreement and 36 CFR Part 800.

Undertaking Related to Another Agreement

The proposed undertaking is covered for Section 106 purposes under a document such as a statewide agreement written in accordance with 37 CFR Part 800.7 or counterpart regulations.

Agreement: < Enter Agreement Information>

□ Flood-Recovery Related Undertaking

The proposed undertaking is covered for Section 106 purposes under the letter-based agreement between the NPS, the State Historic Preservation Office, and the Council for Historic Preservation for "Highwater 97" flood repair and recovery

X Undertaking Related to the 1999 Yosemite Programmatic Agreement

The proposed undertaking is covered for Section 106 purposes under the park's 1999 programmatic agreement for planning, design, construction, operations and maintenance; the undertaking meets the stipulations identified in Article VII.C.2.

4. Project Stipulations and Conditions

Following are listed any stipulations or conditions necessary to ensure that the assessment of effects above is consistent with 36 CFR 800 criteria of effect or to mitigate potential adverse effects:

- a. Placement of the lift station should be approximately 16 to 20 inches about the ground level, to achieve an elevation 1 foot above the 1997 flood waters.
- b. Visual surfaces (sides and top) should be powder coated brown, or create a condition that promotes a rust patina within a year after installation, in order to be compatible with the cultural landscape.

Recommended by Park Section 106 Coordinator:

Title: Historic Preservation Officer

Signature: //Signed Original on File//_____ I

Date: <u>3/21/06</u>

E. SUPERINTENDENT'S APPROVAL

The proposed work conforms to NPS Management Policies and NPS-28 and I approve the recommendations, stipulations, and conditions noted in Section B of this form.

Signature of Superintendent: _MJ Tollefson _____ //Signed Original on File//____

Date: 4/12/06