

GOVERNMENT OF THE DISTRICT OF COLUMBIA
STATE HISTORIC PRESERVATION OFFICE



DC STATE HISTORIC PRESERVATION OFFICE
SECTION 106 REVIEW FORM

TO: Christine Chapman, Environmental Scientist, Hatch Mott MacDonald
Dr. Stephen Potter, Regional Archeologist, National Capital Region, NPS

PROJECT NAME/DESCRIPTION: Draft report review:
White, Sharon D., Jennifer B. Leynes, and Paul J. McEachen [DRAFT]
Phase I Reconnaissance-Level Historical and Archaeological Survey Fort Stanton Park, Slope Stabilization and
Environmental Restoration Project District of Columbia, S.E. Prepared by Richard Grubb & Associates, Inc.,
Cranbury, New Jersey. DC SHPO Archaeological Report # 442.

PROJECT ADDRESS/LOCATION DESCRIPTION: Reservation 412, Fort Stanton Park, DC WASA
Reservoirs # 1 & #2, north of the DC park facility, the Fort. Stanton Rec Center.

DC SHPO PROJECT NUMBER: 10-340

The DC State Historic Preservation Office (DC SHPO) has reviewed the above-referenced federal
undertaking(s) in accordance with Section 106 of the National Historic Preservation Act and has determined
that:

This project will have **no effect** on historic properties. No further DC SHPO review or comment will
be necessary.

There are **no historic properties** that will be affected by this project. No further DC SHPO review or
comment will be necessary.

This project will have **no adverse effect** on historic properties. No further DC SHPO review or
comment will be necessary.

This project will have **no adverse effect** on historic properties **conditioned** upon fulfillment of the
measures stipulated below.

Other Comments / Additional Comments (see below):

The DC SHPO concurs with the results and recommendations of the draft archaeological survey report (DC SHPO
Archaeological Report #442) for the slope stabilization project at Fort Stanton Park reservoirs prepared by Richard Grubb &
Assocs. This report needs revisions throughout including cleanup of the map citations and references cited. A major concern
is the lack of coordination with SHPO staff and the failure to evaluate the historic resources in light of an existing historic
context on District utilities. Please forward a copy of the 2004 archaeological survey conducted at Fort Stanton as we do not
have a copy on file here. Finally, this report appears to address only a small portion of a larger project; this concurrence is
only for the portion addressed in the report. Future undertakings will need separate consultation.
I look forward to receiving the final technical report reflecting the review comments from the DC SHPO that will be sent
separately. Should unanticipated archaeological discoveries be made during the undertaking, please contact the DC SHPO
archaeologist immediately at 202-442.8836 or at ruth.troccoli@dc.gov.

BY: _____
Ruth Troccoli, Ph.D.
State Historic Preservation Office Archaeologist

DATE: 22 October 2010