

SHEET NO.	SUBSHEET NO	D. SHEET NAME	SHEET NO.	SUBSHEET NO	. SHEET NAME
ENERAL			83	A77.2	ARCHITECTURAL CONCRETE DETAILS
1	G1	COVER SHEET	84	A77.3	ARCHITECTURAL CONCRETE DETAILS
2	G2	DRAWING LIST	85	A77.4	ARCHITECTURAL CONCRETE DETAILS
3	G3	SYMBOLS - ABBREVIATIONS - GENERAL NOTES - CODE INFORMATION	86	A77.5	ARCHITECTURAL CONCRETE DETAILS
4	G4	KEYNOTE MASTER LIST	87	A78.1	CASEWORK
5	G5	KEYNOTE MASTER LIST (CON'T)	88	A78.2	CASEWORK & MULTIPURPOSE ROOM DETAILS
6	G6 G7	CONSTRUCTION ACCESS, STAGING & TEMPORARY PROTECTION PLAN ABAAS COMPLIANCE PLANS	89 90	A81	ENLARGED PLANS - TOILET ROOMS & SUPPORT SPACES INTERIOR ELEVATIONS - TOILET ROOMS
, 8	G7 G8	LIFE SAFETY PLANS AND ANALYSIS	90 91	A82 A83	INTERIOR ELEVATIONS - TOILET ROOM
9	G9	ARCHITECTURAL RENDERINGS	92	A91	ENLARGED PLANS AND SECTIONS - STAIR 1+2
· ·			93	A92	ENLARGED PLAN AND SECTION - STAIR 3
_			94	A93	ENLARGED PLAN AND SECTION - STAIR 4
10	C1	EXISTING SURFACE CONDITIONS	95	A94	STAIR DETAILS
11	C2	EXISTING SURFACE CONDITIONS	96	A95	STAIR DETAILS
12	C3	EXISTING UTILITIES	97	A96	VERTICAL CIRCULATION PLANS AND SECTION
13	C4	EXISTING UTILITIES	98	A97	VERTICAL CIRCULATION - CAB DETAILS
14 15	C5 C6	DEMOLITION PLAN LAYOUT & MATERIALS PLAN	99 100	A98 A99	SITE RAMP INTERIOR RAMPS
16	C7	LAYOUT & MATERIALS PLAN	100	A99	INTERIOR RAINES
17	C8	GRADING & UTILITIES PLAN	STRUCTURAL		
18	C9	GRADING & UTILITIES PLAN	101	S0	GENERAL NOTES
19	C10	SECTIONS & PROFILES	102	S0A	GENERAL NOTES
20	C11	SITE DETAILS	103	S1	PLAN - MUSEUM LEVEL SOUTH
			104	S2	PLAN - MUSEUM LEVEL NORTH
MAT	114	MUCEUM EVEL ELCOD DI ANI	105	S3	PLAN - COURTYARD LEVEL
21	H1	MUSEUM LEVEL FLOOR PLAN	106 107	S4	PLAN - ROOF LEVEL
HITECTURAL DI	EMΩ		107 108	S10 S10A	TYPICAL DETAILS TYPICAL DETAILS
ALLECTURAL DI 22	AD1	DEMOLITION PLAN - MUSEUM LEVEL SOUTH	108	\$10A \$11	SECTIONS & DETAILS
23	AD1	DEMOLITION FLAN - MUSEUM LEVEL SOOTH DEMOLITION PLAN - MUSEUM LEVEL NORTH	110	S12	SECTIONS & DETAILS
24	AD3	DEMOLITION PLAN - COURT LEVEL SOUTH	111	S13	SECTIONS & DETAILS
25	AD4	DEMOLITION PLAN - COURT LEVEL NORTH	112	S14	SECTIONS & DETAILS
26	AD5	DEMOLITION PLAN - PAVILION ROOF AND STAIR TOWER	113	S15	SECTIONS & DETAILS
27	AD6	DEMOLITION ELEVATIONS AND SECTIONS	114	S16	SECTIONS & DETAILS
28	AD7	DEMOLITION PHOTOS	115	S17	SECTIONS & DETAILS
HITECTURAL			116	S18	SECTIONS & DETAILS
29	A1	SITE PLAN	MECHANICAL DEMO		
30	A2	FLOOR PLAN - MUSEUM LEVEL SOUTH	117	MD1	MECHANICAL DEMOLITION PLAN - MUSEUM LEVEL
31	A3	FLOOR PLAN - GOURT LEVEL NORTH	118	MD2	MECHANICAL DEMOLITION PLAN - COURT/ROOF LEVEL
32 33	A4 A5	FLOOR PLAN - COURT LEVEL ROOF PLAN - PAVILION AND STAIR TOWER	119 120	MD3 MD4	PLUMBING DEMOLITION UNDERFLOOR PLAN - MUSEUM LEVEL PLUMBING DEMOLITION PLAN - MUSEUM LEVEL
34	A6	REFLECTED CEILING PLAN - MUSEUM LEVEL SOUTH	120	MD5	PLUMBING DEMOLITION PLAN - MOSEOM LEVEL PLUMBING DEMOLITION PLAN - COURT/ROOF LEVEL
35	A7	REFLECTED CEILING PLAN - MUSEUM LEVEL NORTH	122	MD10	FLOOR PLANS SPRINKLER DEMOLITION
36	A8	REFLECTED CEILING PLAN - COURT LEVEL			
37	A9	SLAB PLAN - MUSEUM LEVEL SOUTH	MECHANICAL		
38	A10	SLAB PLAN - COURT LEVEL	123	M1	MECHANICAL SYMBOLS & ABBREVIATIONS
39	A11	ELEVATIONS - PAVILION AND STAIR TOWER	124	M2	MECHANICAL DUCTWORK - MUSEUM LEVEL SOUTH
40	A13	BUILDING SECTIONS	125	M3	MECHANICAL DUCTWORK - MUSEUM LEVEL NORTH
41	A14	BUILDING SECTIONS	126	M4	MECHANICAL PIPING PLAN - MUSEUM LEVEL SOUTH
42	A15 A16	BUILDING SECTIONS BUILDING SECTIONS - PAVILION	127	M5	MECHANICAL PIPING PLAN - MUSEUM LEVEL NORTH MECHANICAL PIPING PLAN - MECHANICAL ROOM
43 44	A16 A21	WALL SECTIONS - PAVILION	128 129	M6 M7	MECHANICAL PIPING PLAN - MECHANICAL ROOM MECHANICAL DUCTWORK PLAN - MECHANICAL ROOM
45	A22	WALL SECTIONS - CURTAIN WALL	130	M8	MECHANICAL DUCTWORK - COURT LEVEL SOUTH
46	A23	WALL SECTIONS - CURTAIN WALL	131	M9	MECHANICAL PIPING PLAN - COURT LEVEL SOUTH
47	A24	CURTAIN WALL DETAILS	132	M10	MECHANICAL DUCTWORK & PIPING PLAN - COURT LEVEL ROOF SOUT
48	A25	CANOPY DETAILS	133	M11	MECHANICAL SECTIONS
49	A26	VIEW WINDOW DETAILS	134	M12	MECHANICAL SECTIONS
50	A27	VIEW WINDOW DETAILS	135	M13	MECHANICAL SECTIONS
51 50	A28	DETAILS	136	M14	MECHANICAL FLOW DIAGRAM - HOT WATER
52 53	A29.1	DETAILS	137	M15	MECHANICAL FLOW DIAGRAM - CHILLED WATER
53 54	A29.2 A31	DETAILS ROOF DETAILS	138 139	M16 M17	MECHANICAL FLOW DIAGRAM - MUSEUM LEVEL AHU MECHANICALFLOW DIAGRAM - COURT LEVEL AHU
54 55	A31 A32	ROOF DETAILS ROOF DETAILS	140	M18	MECHANICAL FLOW DIAGRAM - COURT LEVEL AND MECHANICAL FLOW DIAGRAM - MISC.
56	A32 A33	ROOF DETAILS	141	M19	MECHANICAL DETAILS
57	A41	PARTITION TYPES	142	M20	MECHANICAL DETAILS
58	A42	FINISH SCHEDULE & FLOOR TRANSITIONS	143	M21	MECHANICAL DETAILS
59	A43	FINISH FLOOR PLANS	144	M22	MECHANICAL DETAILS
60	A51	DOOR SCHEDULE	145	M23	MECHANICAL DETAILS
61	A52	DOOR DETAILS	146	M24	MECHANICAL DETAILS
62	A53	DOOR DETAILS	147	M25	MECHANICAL COLIEDUI ES
63	A54	WINDOW DETAILS	148	M26	MECHANICAL SCHEDULES
64 65	A61 A62.1	ENLARGED PLAN - UPPER LOBBY ENLARGED PLAN - LOWER LOBBY	149 150	M27 M28	MECHANICAL SCHEDULES MECHANICAL SCHEDULES
66	A62.1 A62.2	ENLARGED PLAN - LOWER LOBBY ENLARGED RCP - LOBBIES	150	M29	MECHANICAL SCHEDULES MECHANICAL SCHEDULES
67	A63	ENLARGED PLAN - MULTIPURPOSE ROOM	152	M30	PLUMBING SYMBOLS & ABBREVIATIONS
68	A64	ENLARGED RCP - MULTIPURPOSE ROOM	153	M31	PLUMBING UNDERFLOOR PLAN - MUSEUM LEVEL SOUTH
69	A65	INTERIOR ELEVATIONS - VESTIBULE	154	M32	PLUMBING PLAN - MUSEUM LEVEL SOUTH
70	A66	INTERIOR ELEVATIONS - UPPER & LOWER LOBBY	155	M33	PLUMBING PLAN - COURT LEVEL SOUTH
71	A67	INTERIOR ELEVATIONS - UPPER & LOWER LOBBY	156	M34	PLUMBING PLAN - COURT LEVEL ROOF SOUTH
72	A68	INTERIOR ELEVATIONS - UPPER & LOWER LOBBY	157	M35	PLUMBING PLAN - ENLARGED MUSUEM LEVEL SOUTH
73	A69	INTERIOR ELEVATIONS - MULTIPURPOSE ROOM	158	M36	PLUMBING DETAILS
74 	A71	PLAN DETAILS	159	M37	PLUMBING DETAILS
75 76	A72	METAL FABRICATIONS	160	M38	PLUMBING ISOMETRIC DIAGRAMS
76 77	A73	CEILING TRANSITION DETAILS	161 162	M39	PLUMBING SCHEDULES
77 78	A74 A75	CEILING TRANSITION DETAILS SKYLIGHT LOUVER DETAILS	162 163	M40 M41	REFERENCE SHEET FIRST FLOOR PLAN NEW WORK SPRINKLER
78 79	A75 A76.1	INTERIOR GUARDRAILS & GLASS PARTITIONS	163 164	M41 M42	PARTIAL BASEMENT PLAN - NEW WORK SPRINKLER
80	A76.2	INTERIOR GUARDRAILS & GLASS PARTITIONS INTERIOR GUARDRAIL & GLASS PARTITION DETAILS	165	M43	PARTIAL BASEMENT PLAN - NEW WORK SPRINKLER
81	A76.3	INTERIOR GUARDRAIL PLAN DETAILS	166	M44	SPRINKLER DETAIL SHEET
82	A77.1	ARCHITECTURAL CONCRETE DETAILS			

ELECTRICAL DEMO 167 168 169 170	ED1 ED2	ELECTRICAL DEMOLITION PLAN - COURT/ROOF LEVEL
167 168 169	ED2	ELECTRICAL DEMOLITION PLAN - COURT/ROOF LEVEL
168 169	ED2	
169	550	ELECTRICAL DEMOLITION PLAN - MUSEUM LEVEL
	ED3	ELECTRICAL DEMOLITION PLAN - ONE LINE DIAGRAM
0	ED10	DEMOLITION FIRE ALARM PLAN
	2510	DEMOEFFICIAL METALLAND LAND
ELECTRICAL		
171	E1	ELECTRICAL SYMBOLS & ABBREVIATIONS
172	E2	ELECTRICAL SITE PLAN
173	E3	ELECTRICAL LIGHTING PLAN - MUSEUM LEVEL SOUTH
174	E4	ELECTRICAL LIGHTING PLAN - MUSEUM LEVEL NORTH
175	E5	ELECTRICAL LIGHTING PLAN - COURT LEVEL
176	E6	ELECTRICAL POWER PLAN - MUSEUM LEVELSOUTH
177	E7	ELECTRICAL POWER PLAN - MUSEUM LEVEL NORTH
178	E8	ELECTRICAL POWER PLAN - COURT LEVEL
179	E9	ELECTRICAL POWER PLAN - ROOF
180	E10	ELCTRICAL ENLARGED FLOOR PLAN - POWER
181	E11	ELECTRICAL ENLARGED FLOOR PLAN - POWER
182	E12	ELECTRICAL ONE LINE DIAGRAM
183	E13	GROUNDING SYSTEM RISER DIAGRAMS
184	E14	LIGHTING CONTROL RISER DIAGRAM
185	E15	ELECTRICAL SCHEDULES
186	E16	ELECTRICAL SCHEDULES
187	E17	ELECTRICAL SCHEDULES
188	E18	ELECTRICAL SCHEDULES
189	E19	ELECTRICAL SCHEDULES
190	E20	ELECTRICAL SCHEDULES
191	E21	ELECTRICAL DETAILS
192	E22	ELECTRICAL DETAILS
193	E23	ELECTRICAL DETAILS
194	E30	FIRE ALARM - NOTES, LEGEND & SYMBOLS
195	E31	FIRST FLOOR PLAN NEW WORK FIRE ALARM
196	E32	PARTIAL BASEMENT PLAN - NEW WORK FIRE ALARM
197	E33	PARTIAL BASEMENT PLAN - NEW WORK FIRE ALARM
198	E34	FIRE ALARM DETAIL SHEET
199	E35	FIRE ALARM RISER SHEET
200	E36	SECURITY - NOTES, LEGEND & SYMBOLS
201	E37	FIRST FLOOR PLAN - NEW WORK SECURITY
202	E38	PARTIAL BASEMENT PLAN - NEW WORK SECURTIY
203	E39	PARTIAL BASEMENT PLAN - NEW WORK SECURITY
204	E40	SECURITY DETAIL SHEET
205	E41	SECURTIY RISER DIAGRAM
TECHNOLOGY DEMO	I ITION	
206	TD1	TECHNOLOGY DEMOLITION PLAN - COURT/ROOF LEVEL
207	TD2	TECHNOLOGY DEMOLITION PLAN - GOORT/ROOF LEVEL TECHNOLOGY DEMOLITION PLAN - MUSEUM LEVEL
TECHNOLOGY		
208	T1	TECHNOLOGY SYMBOLS & ABBREVIATIONS
209	Т3	TECHNOLOGY PLAN - MUSEUM LEVEL SOUTH
210	T4	TECHNOLOGY PLAN - MUSEUM LEVEL NORTH
211	T5	TECHNOLOGY PLAN - COURT LEVEL SOUTH
212	Т6	TECHNOLOGY PLAN - ENLARGED MUSEUM LEVEL SOUTH
213	T7	TECHNOLOGY DETAILS
TECHNOLOGY AUDIC	OVISUAI	
214	TA1	TECHNOLOGY AUDIOVISUAL SYMBOLS & ABBREVIATIONS
215	TA2	TECHNOLOGY AV SIGHTLINE PLAN MUSEUM LEVEL SOUTH
216	TA3	TECHNOLOGY AV SIGHTLINE PLAN MUSEUM LEVEL SOUTH
216 217	TA3	TECHNOLOGY AUDIOVISUAL PLAN MUSEUM LEVEL SOUTH TECHNOLOGY AUDIOVISUAL RCP PLAN MUSEUM LEVEL SOUTH
217	TA4 TA5	TECHNOLOGY AUDIOVISUAL RCP PLAN MUSEUM LEVEL SOUTH TECHNOLOGY AUDIOVISUAL DIAGRAMS & DETAILS
218 219	TA6	TECHNOLOGY AUDIOVISUAL DIAGRAMS & DETAILS TECHNOLOGY AUDIOVISUAL ELEVATION DETAILS
۷۱۶	IAU	TEOTINOLOGI AUDIOVISUAL ELEVATION DETAILS

VE FIRM	DESIGNED:	SUB SHEET NO.	TITLE OF SHEET	DRAWING NO.
PRIME: QUINN EVANS ARCHITECTS	MV TECH. REVIEW:	\cap	DRAWING LIST	391 100042 PMIS/PKG NO.
WASHINGTON, DC	BB DATE: 03/15/2011	UZ	FRANKLIN COURT MUSEUM INDEPENDENCE NATIONAL HISTORICAL PARK	8384 SHEET 2 OF 219

CODE INFORMATION GENERAL NOTES ABBREVIATIONS AIR CONDITIONING **EXIST EXISTING** MAXIMUM 1. THIS BUILDING IS AN IMPORTANT STRUCTURE. ONLY WORK WHICH IS ABT EXP EXPOSED, EXPANSION **MECH ABOUT MECHANICAL** SPECIFICALLY INDICATED HEREIN SHALL BE UNDERTAKEN. NO MATERIALS **ACCESS ACCESSIBLE** EXT **EXTERIOR** MED MEDIUM OR BUILDING ELEMENTS MAY BE REMOVED FROM THE SITE WITHOUT **APPLICABLE CODES** ACOUS **MEMB** ACOUSTIC **MEMBRANE** WRITTEN PERMISSION OF THE CO. ACP ACOUSTICAL CEILING PANEL FIRE ALARM MFR MANUFACTURE(R) INTERNATIONAL CODE COUNCIL (ICC) MODEL CODES, 2009 EDITIONS: AD AREA DRAIN FAS FASTEN(ER) MIN MINIMUM ADA AMERICANS WITH DISABILITIES ACT FD FLOOR DRAIN MISC **MISCELLANEOUS** 2. THE GROUND BENEATH AND ADJACENT TO THE EXISTING BUILDING IS AN INTERNATIONAL BUILDING CODE (IBC) ADJ ADJUSTABLE FDN MO MASONRY OPENING **FOUNDATION** ARCHEOLOGICAL SENSITIVE AREA. ALL EXCAVATION WORK IS SUBJECT TO AFF MTD INTERNATIONAL FIRE CODE (IFC) ABOVE FINISHED FLOOR FIRE EXTINGUISHER MOUNTED ARCHEOLOGICAL MONITORING. SEE DIVISION 01 - SECTION 013513.22 AGG AGGREGATE FIRE EXTINGUISHER CABINET MTG MOUNTING ARCHEOLOGICAL PROTECTION. ALT **ALTERNATE** FINISHED FACE MTL METAL NATIONAL FIRE PROTECTION ASSOCIATION (NFPA): ALUM **FGL** ALUMINIUM **FIBERGLASS** APPROX **APPROXIMATELY** FHC FIRE HOSE CABINET **NORTH** 3. THE FOLLOWING PHRASES ARE DEFINED AS FOLLOWS: NFPA 13: INSTALLATION OF SPRINKLER SYSTEMS- 2007 ARCH ARCHITECT(URAL, URE) NAT FIN(S) FINISH(ES) NATURAL NFPA 70: NATIONAL ELECTRIC CODE- 2008 ASPH ASPHALT(IC) FIXT **FIXTURE** NIC NOT IN CONTRACT NFPA 72: NATIONAL FIRE ALARM - 2007 "REMOVE AND SALVAGE: DISMANTLE EXISTING MATERIALS OR ASSOC NO ASSOCIATED FLOOR(ING) NUMBER NFPA 101: *LIFE SAFETY CODE - 2009* (For egress requirements) ASSEMBLIES CAREFULLY: PROVIDE PROTECTION SUITABLE FOR NOM AUTO **AUTOMATIC** FLAM FLAMMABLE NOMINAL All Other NFPA, Including Recommended Practices AWP ACOUSTICAL WALL PANEL **FLUOR FLUORESCENT** NTS NOT TO SCALE MAINTAINING EXISTING CONDITIONS OF MATERIALS, AND STORE SALVAGED FOC **FACE OF CONCRETE** MATERIAL FOR REINSTALLATION." GUIDELINES, CODES, REGULATIONS, LOCAL UTILITY REQUIREMENTS: OC ON CENTER BD BOARD FOS FACE OF STUDS FIREPROOF(ING) OD BIT BITUMINOUS, BITUMEN **OUTSIDE DIAMETER** "REMOVE: DISASSEMBLE, DISMANTLE OR DEMOLISH AND TRANSPORT OFF BLDG BUILDING FRAME(D,ING) OFFICE 2009 NPS - DSC DESIGN STANDARDS - SAFETY/FIRE PROTECTION FROM THE SITE." **BLKG** BLOCKING FEET ОН **OVERHEAD** REQUIREMENTS BM FTG OPNG **OPENING** BEAM **FOOTING** DIRECTOR'S ORDER 58. REFERENCE MANUAL 58. as amended and in BOT BOTTOM FUR OPP FURR(ED,ING) **OPPOSITE** DIRECTOR'S ORDER 50B, REF. MAN.50B, Section 12 "REINSTALL: INSTALL EXISTING ITEMS WHICH HAVE BEEN REMOVED AND BTWN BETWEEN OPP HD **OPPOSITE HAND** SALVAGED." GAUGE FEDERAL GOVERNMENT LEGISLATION, REGULATIONS, STANDARDS, CAB CABINET GALV **GALVANIZED** PAR **PARALLEL GUIDELINES**: PARTITION CEM CEMENT GB GRAB BAR **PART** "PROVIDE: FURNISH AND INSTALL NEW OBJECT AS INDICATED." CJ CONTROL JOINT GC GENERAL CONTRACT(OR) PC **PRECAST** ARCHITECTURAL BARRIERS ACT (ABAAS) CLG **PERF** PERFORATE(D) CEILING GLASS, GLAZING CLO CLOSET GOVT **GOVERNMENT** PLPLATE 4. ALL DIMENSIONS TO NEW CONSTRUCTION ARE TO FACE OF STRUCTURE. CLR CLEAR(ANCE) GT GROUT PLAM PLASTIC LAMINATE ALL DIMENSIONS TO EXISTING CONSTRUCTION ARE TO FINISH FACE CMU PLAS CONCRETE MASONRY UNIT **GWB GYPSUM WALLBOARD PLASTER** UNLESS OTHERWISE NOTED. CO **CONTRACTING OFFICER PLWD PLYWOOD** COL PNL PANEL(ED) COLUMN COM COMMUNICATIONS **HOLLOW CORE** PR 5. THE CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS IN FIELD. PAIR PREPARE (SURFACE) INFORMATION CONTAINED ON THESE DRAWINGS WITH REGARD TO CONC CONCRETE HDR HEADER **PREP** COND **HDWD PROV** CONDITION HARDWOOD PROVIDE EXISTING CONDITIONS OF CONSTRUCTION IS PROVIDED FOR THE **PSF** CONFIG CONFIGURATION **HDWR HARDWARE** POUNDS PER SQUARE FOOT CONVENIENCE OF THE GENERAL CONTRACTOR IN EXECUTING THE WORK CONSTRUCTION CONST HGT HEIGHT PSI POUNDS PER SQUARE INCH CONTRACTOR SHALL USE ALL REASONABLE AND CUSTOMARY CARE TO CONT PT **HOLLOW METAL** CONTINUOUS VERIFY ALL EXISTING CONDITIONS IN FIELD. THESE DRAWINGS HAVE BEEN PTD COORD COORDINATE **HORIZ HORIZONTAL** PAINT(ED) BASED ON RECORD SETS OF "AS-BUILT" DRAWINGS ON FILE AND HAVE CORR CORRIDOR **HIGH POINT** PVMT **PAVEMENT** BEEN FURTHER SUPPLEMENTED BY EXTENSIVE FIELD MEASUREMENT AND CPT CARPET(ED) HOUR OBSERVATIONS. CT **CERAMIC TILE** QTY **QUANTITY HEIGHT** CTR CENTER **HVAC HEATING, VENTILATION & AIR** CONDITIONING RADIUS, RISER 6. THE CONTRACTOR IS SOLELY RESPONSIBLE FOR SEQUENCING ALL WORK DEEP RB **RUBBER BASE** AND FOR COORDINATION OF ALL SUBCONTRACTORS. REINSTALLATION OF **INSIDE DIAMETER** REF DEG DEGREE REFERENCE ANY WORK INSTALLED THAT HAS NOT BEEN COORDINATED AND HAS TO BE INCH(ES) DF DRINKING FOUNTAIN REINF REINFORCED INCAN **INCANDESCENT** REINSTALLED SHALL BE DONE AT THE CONTRACTOR'S EXPENSE. REQD / REQ'D DIAG DIAGONAL REQUIRED HEIGHT, AREA, CONSTRUCTION TYPE AND OCCUPANCY CLASSIFICATION INCL INCLUDE(D,ING) DIAM DIAMETER RES RESILIENT INSUL INSULATION, INSULATED DIM DIMENSION **RET** RETAINING 7. ALL DIFFUSERS, REGISTERS, ELECTRICAL FIXTURES AND DEVICES SHALL **CONSTRUCTION TYPE: II B** INTERIOR REV DIV DIVISION REVISION(S) / REVISE(D) BE CENTERED ON EXISTING CEILING PANELS OR AREAS. UNLESS DN **DOWN RFG** ROOFING **JANITOR** 9,500 SF OTHERWISE NOTED. REFER TO MECHANICAL, ELECTRICAL, AND FIRE JAN ALLOWABLE AREA (X FLOOR): DR DOOR RIGHT HAND JOINT(S) PROTECTION DRAWINGS FOR FIXTURES. W/ SPRINKLER SYSTEM PER IBC. 506.3: DTL DETAIL 38,000 SF RAIN LEADER DWG(S) DRAWING(S) ROOM KITCHEN 18,767 SF **ROUGH OPENING** UNDERGROUND MUSEUM 8. ANY DISCREPANCY ON THE DRAWINGS OR BETWEEN THE DRAWINGS AND EAST **COURT ENTRANCE PAVILLION** 3,590 SF SPECIFICATIONS SHALL BE BROUGHT TO THE IMMEDIATE ATTENTION OF LAMINATE(D) E-P **EPOXY PAINT** SOUTH, SEAL 22,357 SF < 38,000 SF THE COTR. NEITHER THE DRAWINGS NOR THE SPECIFICATIONS SHALL BE LAVATORY EΑ EACH SC SOLID CORE ASSUMED TO TAKE PRECEDENCE. FOR PURPOSES OF PRICING ONLY, THE SCHEDULE EXPANSION JOINT OCCUPANCY CLASSIFICATION: MIXED USE ASSEMBLY (A 3), WITH B, M AND S LEFT HAND MORE EXPENSIVE OPTION SHALL BE ASSUMED. LH **ELEVATION (TOPO)** ACCESSORY OCCUPANCIES. LIVE LOAD **ELEC** ELECTRICAL **LOW POINT ELEV ELEVATION (ARCH)** 9. DEMOLITION SHALL NOT BE LIMITED TO ITEMS THUS SHOWN. REQUIRED LTG LIGHTING **EMER EMERGENCY** LTL LINTEL DEMOLITION INCLUDES REMOVAL OF ANY EXISTING CONSTRUCTION **ENCL** ENCLOS(E,URE) NEEDED TO ACCOMMODATE NEW CONSTRUCTION DESCRIBED IN THE EQ **EQUAL** MAS **MASONRY** CONTRACT DOCUMENTS. **EQUIP EQUIPMENT** MATL MATERIAL(S) EST ESTIMATE(D) **EXHAUST** FIRE RESITANCE RATINGS FOR BUILDING ELEMENTS 10. WHERE EXISTING DUCTWORK, PIPING, CONDUIT, OR OTHER ITEMS PENETRATING WALLS, FLOORS OR ROOFS ARE REMOVED, PATCH ABANDONED PENETRATIONS WITH CONSTRUCTION TO MATCH EXISTING ADJACENT CONSTRUCTION. LOAD BEARING WALLS, NON BEARING WALLS, STRUCTURAL FRAME AND FLOOR AND ROOF CONSTRUCTION ARE NOT REQUIRED TO BE FIRE RESISTANCE RATED, PER IBC, TABLE 601 MATERIAL DESIGNATIONS & SYMBOLS **BLDG SECTION CUT DETAIL / PLAN** SHAFT ENCLOSURES SHALL HAVE FIRE RESISTANCE RATING OF NOT LESS THAN 1 HOUR WHERE CONNECTING LESS THAN 4 STORIES. PER IBC 708.4 DRAWING REFERENCE **EXISTING WALL TO REMAIN** Room name EGRESS STAIRS' ENCLOSURES - 1 HR FIRE RESISTANCE RATING ROOM NUMBER EXTENT OF EXISTING PAVER, 101 **ELEMENTS TO BE REMOVED** FINISH TYPE CONCRETE AND FILL A101 **ELECTRICAL ROOMS - 1 HR FIRE RESISTANCE RATING** (DEMO PLANS) REMOVAL (DEMO PLANS) 101 SHEET REFERENCE **DOOR NUMBER** SHEET REFERENCE MECHANICAL ROOM, BOILER ROOM, STORAGE ROOMS AND TRASH ROOMS **NEW CMU** OVER 100 SF WILL NOT BE RATED BECAUSE PROVIDED WITH AN AUTOMATIC EXTENT OF CONC SLABS 1i SPRINKLER SYSTEM AS PER IBC TABLE 508.2 (NEW WORK PLANS) **WALL TYPES ELEVATION DETAIL CUT NEW CONCRETE** $\langle 1t \rangle$ CONTINUOUS RECESSED LIGHT FIXTURE WINDOW NUMBER DRAWING REFERENCE WOOD BLOCKING SIM \bigoplus **EXISTING ELEVATION** STEEL (LARGE SCALE) PENDANT LIGHT FIXTURE A101 **NEW ELEVATION** GWB / PLASTER SHEET REFERENCE RETURN AIR GRILLE

WORK POINT

BATT INSULATION

EXTENT OF SLAB/FLOOR

EXTENT OF EXISTING

PAVER REMOVAL

(DEMO PLANS)

REMOVAL (DEMO PLANS)

RIGID INSULATION

DISCONTINUOUS

WOOD BLOCKING

CARPET

PLYWOOD

-DRAWING REFERENCE

SHEET REFERENCE

SUB SHEET NO.

A/E FIRM

PRIME:

QUINN EVANS

ARCHITECTS

WASHINGTON, DC

SUPPLY AIR REGISTER

EXHAUST GRILLE

- ## KEYNOTE

DESIGNED

TECH. REVIEW:

03/15/2011

CE

TITLE OF SHEET **SYMBOLS** -ABBREVIATIONS -**GENERAL NOTES - CODE** FRANKLIN COURT MUSEUM

INDEPENDENCE NATIONAL HISTORICAL PARK

SECTION

SHEET

SIMILAR

SQUARE

STAINLESS

STANDARD

STRUCTURAL

SUSPENDED

SYMMETRICAL

TONGUE AND GROOVE

SYSTEM

TREAD

TOP OF

TECHNOLOGY

TELEPHONE

TEMPERED

THICK(NESS)

THRESHOLD

TOP OF CURB

TOLERANCE

TOP OF STEEL

TRANSPARENT

UNDERWRITER'S LABORATORY

UNLESS OTHERWISE NOTED

VINYL COMPOSITION TILE

TOP OF WALL

TELEVISION

UNFINISHED

TYPICAL

VARIES

VERTICAL

VESTIBULE

WIDE, WEST

WATER CLOSET

WITH.

WITHOUT

WOOD

WINDOW

WEIGHT

NUMBER

CENTER LINE

WALL HUNG

WORK POINT

WELDED WIRE FABRIC

EXIST (OR APPROX) DIM - VIF

WALL SECTION CUT

-DRAWING REFERENCE

SHEET REFERENCE

VERIFY IN FIELD

VENTILATION UNIT

VINYL WALLCOVERING

TOP OF MASONRY

STEEL

STAIN **STORAGE**

SHT

SIM

SQ

SS

STD

STL

STN

STO

STRUC

SUSP

SYM

SYS

T&G

T.O.

TEL

TECH

TEMP

THK

TOC

TOL

TOM

TOS

TOW

TYP

UL

UNFIN

UON

VAR

VCT

VERT

VEST

W/O

TRANS

SPEC(S

SQUARE FEET

SOUND / LIGHT LOCK

SPECIFICATION(S)

STAINLESS STEEL

DRAWING NO. <u>391</u> 100042 PMIS/PKG NO. 8384 SHEET

3 of 219

KEYNOTE MASTER LIST

SAWCUT WALL AS REQUIRED FOR OPENING; REFER TO STRUCTURAL DRAWINGS, DOOR SCHEDULE AND NEW WORK PLANS

1 01-01	GENERAL CONDITIONS ITEM NOT IN CONTRACT	02-39	REMOVE BRICK VENEER PAST OPENING; TOOTH IN MASONRY TO NEW OPENING DIMENSION; SALVAGE BRICK AS NECESSARY FOR NEW WORK	02-76 02-77	EXISTING MULBERRY TREE TO REMAIN PROVIDE PAVERS ON CONCRETE SLAB TO MATCH EXISTING	03-20	PROVIDE CONCRETE SLAB, REFER TO CIVIL DRAWINGS	05-15	PROVIDE 3"X3" STEEL TUBE RIGID FRAME CONNECTED TO CONCRETE STRUCTURE; REFER TO STRUCTURAL DRAWINGS	05-61 05-62	PROVIDE PROVIDE STEEL EMBED PLATE PROVIDE STAINLESS STEEL PLATE	07-10	PROVIDE CONTINUOUS LET IN 0. RECEIVER WITH SOLDERED JOIN WEDGES @ 16" ON CENTER	
01-02	PROVIDE TREE PROTECTION	02-40	REMOVE EXISTING STOREFRONT	00.70		03-21	PROVIDE REMOVABLE CONE SPREADER TIE	05-16	PROVIDE METAL GUARDRAIL	05-63	PROVIDE STEEL ANGLE 4"X4"X1/4"	07-12	PROVIDE 16 OZ. COUNTERFLASH WITH STAINLESS STEEL SCREW	
01-03	PROVIDE TEMPORARY PROTECTION FENCE	02-41	REMOVE EXISTING RAMP; REFER TO STRUCTURAL DRAWINGS	02-78	EXISTING GRANITE STEPS TO REMAIN	4	MASONRY	05-17	PROVIDE ALUMINUM ANGLE	05-64	PROVIDE STEEL ANGLE 3"X3"X1/4" AT 4'-0" O.C.		WASHERS @ 24" ON CENTER	
01-04	PROVIDE GATE IN TEMPORARY PROTECTION FENCE	02-42	REMOVE EXISTING CONCRETE SLAB; REFER TO	02-79	EXISTING CONCRETE SLAB TO REMAIN	04-01	PROVIDE 8" CONCRETE MASONRY UNIT	05-18	PROVIDE ALUMINUM PROFILE	05.05	WELDED TO 4X4 ST ANGLE	07-13	PROVIDE RIDGID INSULATION	
01-05	COORDINATE TEMPORARY PROTECTION FENCE IN	5	STRUCTURAL DRAWINGS	02-80	REMOVE EXISTING LOUVER ABOVE DOOR; PREPARE OPENING FOR NEW WORK	04-02	INFILL OPENING WITH 6" CONCRETE MASONRY UNIT WALL AND 1/2" MINIMUM STUCCO; FINISH TO MATCH	05-20	PROVIDE ALUMINUM FASTENERS	05-65	PROVIDE STEEL CHANNEL	07-15	PROVIDE 3 LB. LEAD CAP ROLLE	ED INTO PIPE
	THIS AREA TO COINCIDE WITH LIMITED DURATION OF WORK	02-43	SAWCUT SLAB AS REQUIRED FOR OPENING; REFER TO STRUCTURAL DRAWINGS AND NEW WORK	02-81	REMOVE DUCT PER MECHANICAL DRAWINGS; PREPARE OPENING FOR NEW WORK		ADJACENT CAST IN PLACE CONCRETE WALL	05-21	PROVIDE GALVANIZED METAL DECKING	05-66	PROVIDE STEEL SUPPORTS FOR GRANITE CLADDING	07-16	PROVIDE 3 LB. LEAD FLASHING E	воот
01-06	PROVIDE TEMPORARY GROUND PROTECTION AT STONE PAVERS	02-44	PLANS REMOVE EXISTING FILL WITHIN EXTENTS OF NEW	02-82	REMOVE GLAZING AT EXISTING PROJECTION ROOM WINDOWS; PREPARE OPENING FOR NEW WORK	04-03 04-05	PROVIDE 6" CONCRETE MASONRY UNIT	05-22	PROVIDE COPPER CLAD FRAME	05-67	PROVIDE STAINLESS STEEL GRATE IN STAINLESS STEEL FRAME	07-19	PROVIDE CONTINUOUS METAL C SOLID WOOD BLOCKING	CLEAT FASTENED TO
01-07	EXHIBIT LAYOUT SHOWN FOR COORDINATION PURPOSES		WORK AND AS NECESSARY TO PERFORM NEW WORK	02-83	SAWCUT EXISTING CONCRETE SLAB AND	04-05	PROVIDE STONE FLOORING ON SETTING BED	05-23	PROVIDE PRE-FINISHED ALUMINUM COPING AT PARAPET	05-68	PROVIDE STEEL COLUMN WITH HIGH PERFORMANCE COATING; REFER TO STRUCTURAL	07-21	PROVIDE WATERPROOFING AT E CONCRETE PARAPET	EXISTING
01-08	COORDINATE ACCESS WITH CONTRACTING	02-45	REMOVE EXISTING PAVERS WITHIN EXTENTS OF NEW WORK AND AS NECESSARY TO PERFORM NEW		EXCAVATE AS REQUIRED FOR NEW SETTLING BASIN, PUMP AND EJECTOR; REFER TO PLUMBING DRAWINGS	04-07	PROVIDE PAVERS ON 1" SETTING BED	05-24	PROVIDE EXTRUDED ALUMINUM FIN		DRAWINGS	07-22	PROVIDE RIDGID INSULATION FI	ıLL
	OFFICER		WORK. SALVAGE PAVERS AS NECESSARY FOR NEW WORK	02-84	REMOVE EXISTING PROJECTION SCREEN AND	04-08	PROVIDE SLATE TREADS	05-25	PROVIDE SIGNAGE MOUNTED TO CANOPY	05-69	PROVIDE STAINLESS STEEL ANGLE	07-24	PROVIDE CONTINUOUS THRU-W. WEEPS AT 16" ON CENTER	/ALL FLASHING WITH
01-09	COORDINATE INSTALLATION OF READER RAIL WITH EXHIBIT PACKAGE	02-46	EXISTING PAVER PATTERN TO REMAIN; REMOVE	02 04	FRAME	04-10	CLEAN EXISTING MASONRY VENEER, COMPLETE, AT	05-27	PROVIDE ALUMINUM HANDRAIL	6	WOOD, PLASTICS, AND COMPOSITES	07-25	PROVIDE ROOFING MEMBRANE	OVER EXISTING
01-10	PROVIDE PROTECTION for EXISTING SITE FEATURE		AND REINSTALL AS NECESSARY TO PERFORM NEW WORK	02-85	REMOVE EXISTING FLOOR MOUNTED TELEPHONES; PATCH FLOOR AS REQUIRED FOR NEW WORK		PAVILION/STAIR 1 TOWER	05-28	PROVIDE ALUMINUM WALL BRACKET	06-02	PROVIDE WOOD BENCH	07-23	CONCRETE ROOF - TIE INTO EXIS	
02-01	EXISTING ITEM TO REMAIN	02-47	REMOVE EXISTING CONCRETE COLUMN; REFER TO STRUCTURAL DRAWINGS	02-86	EXISTING CEILING TO REMAIN	04-11	GROUT SOLID	05-29	PROVIDE METAL PIPE	06-03	PROVIDE WOOD BLOCKING AS REQUIRED	07-26	PROVIDE METAL PANEL CLAD MI	JULLION
02-02	REMOVE ITEM INDICATED	02-48	REMOVE EXISTING WOOD FLOORING, COMPLETE,	02-87	REPAIR WATER DAMAGE	04-12	PROVIDE ALLOWANCE TO POINT 250 SF OF BRICK MASONRY AT PAVILION/STAIR 1 TOWER	05-30	PROVIDE METAL CLEAN-OUT	06-04	PROVIDE CONTINUOUS CANT STRIP	07-27	PROVIDE FIBERGLASS BATT INS	JULATION
02-04	REMOVE ELEVATOR AND ALL ASSOCIATED	02-46	PREPARE FOR NEW INFILL SLAB	02-88	REMOVE EXISTING GUARDRAIL	04-13	PROVIDE STONE CLADDING	05-31	PROVIDE THREADED METAL COLLAR	06-06	PROVIDE PRESSURE TREATED WOOD CANT SECURED WITH 3/8" DIAMETER GALVANIZED STEEL	07-28	PROVIDE ALUMINUM COMPOSITI	E PANEL
	EQUIPMENT AND APPURTENANCES, COMPLETE	02-49	REMOVE EXISTING POST, BEAMS, AND BASE ATTACHMENT: PATCH ROOF AT REMOVED	02-89	REMOVE EXISTING FIXED SEATING	04-14	PROVIDE GRANITE BASE	05-32	PROVIDE CABLE SLEEVE		ANCHOR BOLTS @ 18" ON CENTER - MIN. 2 PER SIDE	07-29	PROVIDE ROOF CRICKET TO SLO PER FOOT AROUND ROOF HATC	
02-06	EXISTING DOOR AND FRAME TO REMAIN		ATTACHMENT; REMOVE PAVERS AS REQUIRED AND REPLACE TO MATCH SURROUNDING PAVER	02-90	SAWCUT EXISTING CONCRETE SLAB AND	04-16	PROVIDE NEW GRANITE PAVING TO MATCH	05-33	PROVIDE CONTINUOUS ALUMINUM FRAME MECHANICALLY FASTENED TO SPACING BLOCKS	06-07	PROVIDE CONTINUOUS PRESSURE TREATED WOOD BLOCKING	07-31	PROVIDE CAULK JOINT	
02-07	REMOVE ALL TOILET PARTITIONS COMPLETELY		PATTERN	02-90	EXCAVATE AS REQUIRED TO INSTALL NEW STRUCTURAL FOOTINGS; REFER TO STRUCTURAL		EXISTING STEPS		WITH COUNTERSUNK HEAD	06-08	PROVIDE WOOD BENCH	07-31	PROVIDE FLAT CAP JOINT PROTI	FECTION
02-08	REMOVE EXISTING LAY IN CEILING AND ASSOCIATED SUSPENSION SYSTEM	02-50	REMOVE EXISTING CANOPY CABLE SUPPORT AND ATTACHMENT TO MASONRY WALL		DRAWINGS	04-17	FIRST COURSE BRICK PAVERS RE-LAID USING SALVAGED PAVERS	05-34	PROVIDE COUNTERSUNK MECHANICAL FASTENERS TO CURTAIN WALL MULLION	06-09	PROVIDE TWO LAYERS 3/8" F.R.T PLYWOOD SHEATHING			
02-09	REMOVE ALL EXISTING FIXTURES; REFER TO	02-51	REMOVE EXISTING LIGHT FIXTURES	02-91	REMOVE EXISTING LANDSCAPING	04-18	SALVAGED STEPS RE-LAID	05-35	PROVIDE ALUMINUM BAR	00.40		07-33	PROVIDE CONTINUOUS COPPER	
02-10	PLUMBING DRAWINGS EXISTING HANDRAIL AND/OR GUARDRAIL TO	02-52	REMOVE EXISTING BENCH; CLEAN AND POINT EXISTING MASONRY BEYOND TO MATCH EXISTING;	02-92	EXISTING SITE WALL TO REMAIN	04-19	TOOTH IN AND BLEND PAVERS AT TRANSITION FROM EXISTING TO NEW WORK TO MATCH	05-36	PROVIDE EXPANSION BOLT	00-10	PROVIDE WOOD BLOCKING AS REQUIRED FOR FRAME RIGIDITY	07-34 07-35	PROVIDE FLAT SEAM COPPER R	
	REMAIN		REPLACE PAVERS AS NECESSARY TO MATCH EXISTING PATTERN	02-93	SAWCUT WALL OPENING AS REQUIRED FOR MECHANICAL EQUIPMENT. REFER TO STRUCTURAL AND MECHANICAL DRAWINGS		EXISTING PAVERS; MATCH ELEVATION OF EXISTING PAVERS FOR FLUSH CONDITION	05-37	PROVIDE ALUMINUM TUBE	06-11 06-13	PROVIDE 1/2" PLYWOOD WITH 1/16" WOOD VENEER PROVIDE WOOD PANELS	07-36	AND SOLDERED CORNERS PROVIDE BIOPREFERRED CLOSE	SED CELL FOAM
02-12	REMOVE AND SALVAGE ITEM AND TURN OVER TO OWNER	02-53	REMOVE EXISTING CONTROL JOINT; REPLACE PER NEW WORK DETAILS	02-94	EXISTING ROOF DRAIN TO REMAIN	04-20	EXISTING TRANSITION; EXISTING PAVING PATTERN TO REMAIN BETWEEN EXISTING AND NEW WORK;	05-38	PROVIDE FASTENER	00-13	PROVIDE CABINET DOOR	07-30	INSULATION	ED CELL FOAIVI
02-13	SAWCUT WALL OPENING AS REQUIRED FOR NEW DOOR; REFER TO STRUCTURAL DRAWINGS, DOOR	02-54	EXISTING EQUIPMENT TO REMAIN	02-95	REMOVE EXISTING SEALANT		MATCH ELEVATION OF EXISTING PAVERS FOR FLUSH CONDITION	05-39	PROVIDE NEOPRENE SHEET	06-14	PROVIDE 120" DUOMATIC CONCEALED HINGE	07-37	PROVIDE SELF ADHERED WATER UNDERLAYMENT	RPROOFING
	SCHEDULE AND NEW WORK PLANS	02-55	EXISTING CHILLED WATER LINES TO 320 MARKET	02-97	EXISTING FINISH FLOOR TO REMAIN	04-23	PROVIDE BRICK SCREEN VENEER BY OMITTING HEADERS FOR EXTENT SHOWN	05-40	PROVIDE ALUMINUM CHANNEL	06-16	PROVIDE PARTICLE BOARD CABINET; PTD	07-38	PROVIDE WATERPROOFING	
02-14	REMOVE EXISTING EQUIPMENT; REFER TO MECHANICAL DRAWINGS		STREET TO REMAIN	02-98	REMOVE EXISTING FLOORING	04-24	TOOTH IN SALVAGED MASONRY TO MATCH	05-41	PROVIDE STAINLESS STEEL PANEL	06-17	PROVIDE RIMLOCK WITH STRIKEPLATE	07-39	PROVIDE AIR BARRIER	
02-15	REMOVE EXISTING CONCRETE PADS; REFER TO STRUCTURAL DRAWINGS	02-56	REMOVE EXISTING ROOF HATCH	02-99	PREPARE GHOST HOUSE FRAME TO RECEIVE NEW PAINT: COMPLETE	04-24	EXISTING	05-42	PROVIDE MOUNTING BRACKET	06-19	PROVIDE CONTINOUS WOOD BLOCKING	07-40	PROVIDE COPPER COUNTERFLA	ASHING
02.46		02-57	REMOVE EXISTING ROOF DRAIN; INFILL OPENING	02-100	REMOVE EXISTING GRANITE STEPS AND SALVAGE	04-25	PROVIDE GRANITE CLADDING	05-43	PROVIDE METAL LADDER	06-20	PROVIDE DIMENSIONAL LUMBER	07-41	PROVIDE SOLDERED SEAM	
02-16	REMOVE EXISTING DOOR AND FRAME	02-58	REMOVE EXISTING DUNNAGE; PATCH WALL AT REMOVED ATTACHMENT LOCATION	02 100	FOR REUSE; NUMBER AND DOCUMENT EACH STONE	04-26	PROVIDE SETTING BED	05-44	PROVIDE POST LADDER EXTENSION	06-21	PROVIDE HARDWOOD EDGING WITH 1/8" X 1/8"	07-42	PROVIDE CONTINUOUS SEPARA	ATION AT DISSIMILAR
02-18	SAWCUT EXISTING CONCRETE SLAB AND EXCAVATE AS REQUIRED TO PROVIDE FOR NEW SLAB ON GRADE; REFER TO STRUCTURAL	02-59	LIGHTS OF LIBERTY EQUIPMENT BE REMOVED BY OWNER	03-01	PROVIDE NEW CONCRETE RAMP TO RAISED FLOORING. COORDINATE WITH STRUCTURAL AND	04-27	PROVIDE GROUT	05-45	PROVIDE ALUM SHOE MOLDING FOR GLASS RAIL		REVEAL	10	METALS	. 0./.0==14.110
	DRAWINGS	02-60	REMOVE EXISTING SIGNAGE AND TURN OVER TO		EXHIBIT DESIGN DRAWINGS	04-28	PROVIDE RAKED JOINT AT STAIR RISER	05-46	PROVIDE STEEL PLATE	06-22	PROVIDE WOOD TRIM	07-43	PROVIDE 1 HR RATED UL JOINT S WW-D-0047 COMPRISED OF MINE INSULATION AND RATED SEALAN	IERAL WOOL BATT
02-19	REMOVE ALL FINISHES AND CLEAN EXPOSED CONCRETE	02-00	THE CONTRACTING OFFICER; POINT AND/OR REPLACE MASONRY AS NECESSARY TO MATCH EXISTING AT REMOVED SIGNAGE	03-02	PROVIDE CONCRETE SLAB; REFER TO STRUCTURAL DRAWINGS	04-29	PROVIDE CONTINUOUS MARBLE COPING TO MATCH EXISTING	05-47 05-48	PROVIDE CAP SCREWS 12"O.C. PROVIDE ALUMINUM TRIM CEILING SYSTEM	06-23 06-24	PROVIDE NOSING TO MATCH EXISTING PROVIDE 2" X 8" BOARDS; 16" O.C.	07-44	PROVIDE SHEET METAL FASCIA	
02-20	REMOVE EXISTING WALL	02-61	EXISTING BRICK VENEER TO REMAIN: PROVIDE	03-03	PROVIDE NEW LIGHTWEIGHT CONCRETE FILL; REFER TO STRUCTURAL DRAWINGS	04-30	PROVIDE 7 5/8" x 7 5/8" PAVER BRICK TO MATCH EXISTING	05-49	PROVIDE CUSTOM BREAK METAL PAN	06-24	PROVIDE AV RACK CABINET		SOLID WOOD BLOCKING	
02-21	REMOVE WALL AT LOCATION INDICATED. SEE NEW WORK PLANS	02-61	ALLOWANCE TO REPOINT 500 SQUARE FEET OF HORIZONTAL AND VERTICAL JOINTS	03-04	PROVIDE NEW COMPOSITE CONCRETE DECK;	04-31	PROVIDE GRANITE PAVER	05-50	PROVIDE CONTINUOUS BENT PLATE SUPPORTS	06-25	PROVIDE AV RACK CABINE I PROVIDE TWO LAYERS 3/8" FIRE RESISTIVE	07-45	PROVIDE INSULATED STAINLESS PAINTED	3 STEEL PAN;
02-23	REMOVE EXISTING CASEWORK AND EXHIBITS	02-62	EXISTING STONE COPING TO REMAIN; SEE ROOF DETAILS; PROVIDE NEW DOWEL AND ANCHOR AND	03-05	REFER TO STRUCTURAL DRAWINGS PROVIDE CONCRETE CURB - REFER TO	04-31	PROVIDE NON-SHRINK GROUT	05.54	FOR STRUCTURAL GLASS CURTAIN WALL		TREATED PLYWOOD DECKING	07-46	PROVIDE CONTINUOUS STAINLE FLASHING; BY CURTAIN WALL MA	ESS STEEL IANUFACTURER
02-24	REMOVE EXISTING CONCRETE COLUMN; REFER TO		HEAD JOINT FLASHING AT EACH HEAD JOINT; PROVIDE CONTINUOUS THRU-WALL FLASHING AND	00 00	STRUCTURAL DRAWINGS	04-33	CUT BRICK AS REQUIRED TO RECIEVE JUNCTION	05-51	PROVIDE METAL DECK; REFER TO STRUCTURAL DRAWINGS	06-27	PROVIDE HARDWOOD EDGING	07-47	PROVIDE CONTINUOUS WATERF	PROOFING; TIE INTO
	STRUCTURAL DRAWINGS		SEAL AT ANCHOR PENETRATIONS; SET COPING IN NEW MORTAR AND REPOINT HORIZONTAL AND VERTICAL JOINTS	03-06	PROVIDE CONCRETE BEAM - REFER TO STRUCTURAL DRAWINGS		BOX	05-52	PROVIDE GALVANIZED METAL FRAMING WITH HIGH PERFORMANCE COATING; REFER TO STRUCTURAL	06-28	PROVIDE WOOD VENEER ON PARTICLE BOARD		EXISTING WATERPROOFING	
02-25	REMOVE EXISTING PORTION OF CONCRETE WALL; REFER TO STRUCTURAL DRAWINGS			03-07	PROVIDE ARCHITECTURAL EXPOSED CONCRETE	04-34	RESET BRICK ON EACH SIDE OF OPERATOR TO SIT FLUSH WITH WALL		DRAWINGS	06-29	PROVIDE LEVELER	07-48	PROVIDE R-13 FIBERGLASS BAT	
02-26	REMOVE EXISTING SHIP LADDER AND ACCESS PANEL	02-63	REMOVE EXISTING DUCTWORK; TERMINATE AND ABANDON DUCKWORK BELOW GRADE; INFILL SLAB PER STRUCTURAL DRAWINGS	20.05	ELEVATOR SHAFT	05-01	PROVIDE STAINLESS STEEL PANEL; BEAD BLASTED FINISH	05-53	PROVIDE COPPER SCUPPER	7	THERMAL AND MOISTURE PROTECTION	07-49 07-50	PROVIDE COPPER GUTTER WITH PROVIDE COPPER SCUPPER SO	
02-27	EXISTING BASEMENT WALLS BELOW TO REMAIN	02-64	EXISTING CONCRETE COLUMN; REFER TO	03-08	PROVIDE CAST IN PLACE CONCRETE STAIR	05-02	PROVIDE GALVANIZED STEEL ANGLE - REFER TO	05-54	PROVIDE COPPER GUTTER	07-01	PROVIDE CONTINUOUS SEALANT	07-50 07-51		
02-28	REMOVE CONCRETE STAIR ASSEMBLY; REFER TO		STRUCTURAL DRAWINGS	03-09	LEVEL NEW CONCRETE FILL WITH EXISTING TREAD	00 02	STRUCTURAL DRAWINGS	05-55	PROVIDE STEEL CANOPY FRAMING WITH HIGH PERFORMANCE COATING; REFER TO STRUCTURAL DRAWINGS	07-02	PROVIDE CONTINUOUS TERMINATION BAR	TG-10	PROVIDE PREFINISHED ALUMINU PANEL; PROVIDE CONTINUOUS S PENETRATIONS	
02-29	STRUCTURAL DRAWINGS EXISTING WALL TO REMAIN	02-65 02-66	REMOVE EXISTING WORLD STAGE EQUIPMENT REMOVE EXISTING ROOFING, BALLAST, ROOF	03-10	PROVIDE INFILL AT EXISTING OPENING, REFER TO STRUCTURAL DRAWINGS	05-03	PROVIDE STEEL FRAMING - REFER TO STRUCTURAL DRAWINGS	05-56	PROVIDE HANDRAIL POST	07-06	PROVIDE CONTINUOUS TERMINATION BAR SECURED WITH STAINLESS STEEL ANCHORS @ 8" ON CENTER	07-52	PROVIDE SELF ADHERING MEME WATERPROOFING	BRANE
02-29	EXISTING WALL TO REMAIN EXISTING ROOF STRUCTURE TO REMAIN	02-66	DRAINS, FLASHING TO EXPOSE EXISTING CONCRETE ROOF AND PARAPET; PREPARE	03-11	PROVIDE INFILL AT EXISTING RECESS; STUCCO FINISH TO MATCH ADJACENT EXISTING CONCRETE WALLS	05-04	PROVIDE STEEL COLUMN - REFER TO STRUCTURAL DRAWINGS	05-57	PROVIDE STAINLESS STEEL BASE	07-07	PROVIDE CONTINUOUS TERMINATION BAR SECURED WITH STAINLESS STEEL SCREWS @ 8" ON	07-53	PROVIDE CONTINUOUS COPPER	R FLASHING
02-31	EXISTING PARAPET TO REMAIN	A.	SURFACES FOR NEW ROOF"	03-12	NEW CONCRETE COLUMN; REFER TO STRUCTURAL	05-05	PROVIDE WOOD AND STEEL RAILING	05-58	PROVIDE WOOD HANDRAIL		CENTER	07-54	PROVIDE COPPER ROOF	
02-32	RESET EXISTING STONE COPING IN ITS ENTIRETY - PROVIDE CONTINUOUS THRU-WALL FLASHING WITH	02-67	REMOVE EXISTING BRICK VENEER AT LOCATION INDICATED; SALVAGE AND REINSTALL BRICK AS NECESSARY FOR NEW WORK		DRAWINGS	05-06	PROVIDE STAINLESS STEEL COLUMN - REFER TO STRUCTURAL DRAWINGS	05-59	PROVIDE STAINLESS STEEL HANDRAIL BRACKET	07-08	PROVIDE TAPERED INSULATION - SLOPE 1/4" PER FOOT MINIMUM UNLESS NOTED OTHERWISE			
	ANCHORS	02-68	REMOVE EXISTING WOOD STEP TO CONCRETE	03-13	PROVIDE ALLOWANCE TO PATCH 150 SF OF CONCRETE	05-07	PROVIDE STAINLESS STEEL ANGLE - MIRROR FINISH	05-60	PROVIDE STAINLESS STEEL BAR	07-09	PROVIDE ROOFING OVER PROTECTION BD			
02-34	EXISTING PAVERS TO REMAIN		SLAB	03-14	PATCH WALL SEE STRUCTURAL DRAWINGS	05-07	PROVIDE STAINLESS STEEL ANGLE - MIRROR FINISH PROVIDE PAINTED STEEL HANDRAIL							
02-35	EXISTING FILL TO REMAIN	02-70	EXISTING 1" EXPANSION JOINT	03-15	PROVIDE ARCHITECTURAL CONCRETE	05-08	PROVIDE PAINTED STEEL HANDRAIL PROVIDE GLASS GUARDRAIL		A/E FIRM	DESIGNE		TITLE OF S		DRAWING NO.
02-36	EXISTING CONCRETE FLOOR TO REMAIN	02-72	EXISTING PLANTERS TO REMAIN	03-16	PROVIDE CHAMFER AT CORNER	05-10			PRIME:	CE	—— KEYNO	TE MA	ASTER LIST	391 100042
02-37	EXISTING CONCRETE BEAM TO REMAIN	02-73	EXISTING GHOST HOUSE FRAME TO REMAIN	03-17	PROVIDE SMOOTH AS-CAST SURFACE	UO-11	I VOANE I II FUDDEN		QUINN EVANS ARCHITECTS	WA			ł	PMIS/PKG NO.
02-38	SAWCUT WALL AS REQUIRED FOR OPENING;	02-75	EXISTING VIEWING WELL TO REMAIN	<u> </u>	PROVIDE TYPICAL BASE REVEAL				WASHINGTON, DC	TECH. R	EVIEW:			8384

03-19 PROVIDE TYPICAL BASE REVEAL

8384

SHEET

4 OF <u>219</u>

FRANKLIN COURT MUSEUM INDEPENDENCE NATIONAL HISTORICAL PARK

TECH. REVIEW: **DC**DATE: 03/15/2011

WASHINGTON, DC

8	OPENINGS			09-43	PROVIDE SOLID SURFACE MATERIAL	14-04	PROVIDE ELEVATOR CAB WITH METAL PANEL		
08-01	PROVIDE METAL THRESHOLD	08-56	PROVIDE CAM-LIFT HINGE	09-44	PROVIDE BASE AS SCHEDULED		WALLS AND GLAZED WINDOW AT BACK OF CAB, METAL PANEL CEILING WITH DOWNLIGHTS, AND SLATE TILE FLOOR	23-12	PROVIDE TEMPERATURE SNESOR; SEE MECHANICAL DRAWINGS
08-02	PROVIDE HOLLOW METAL FRAME	08-57	PROVIDE ADJUSTABLE SEAL	09-45	PROVIDE "Z" REVEAL TRIM	14-05	PROVIDE GLASS PANEL	26	ELECTRICAL
08-03	PROVIDE CENTER HUNG ALL GLASS DOORS	08-58	PROVIDE ACOUSTIC DOOR PANEL	09-48	PROVIDE WD TRIM, PAINT TO MATCH THE WALL			26-01	PROVIDE RECESSED WALL WASHER; REFER TO
08-04	PROVIDE GLASS CURTAIN WALL	08-59	PROVIDE SPLIT FRAME	09-49	PROVIDE "U" CHANNEL, 2" DEEP, FOR GLASS RAIL	14-06	PROVIDE STAINLESS STEEL PANEL		ELECTRICAL DRAWINGS
08-06	PROVIDE ALUMINUM CURTAIN WALL MULLION	08-60	PROVIDE MFR APPLIED WOOD VENEER, CHERRY AMERICAN QUARTER SAWN	09-50	PROVIDE 6" METAL STUD FRAMING, 16"0.C.	14-07	PROVIDE STAINLESS STEEL REVEAL	26-02	PROVIDE 4" SQUARE DOWNLIGHT; REFER TO ELECTRICAL DRAWINGS
08-07	PROVIDE SILICON GLAZING JOINT	08-61	PROVIDE MARBLE THRESHOLD	09-51	PROVIDE SLATE FLOORING ON SETTING BED	14-08	PROVIDE STAINLESS STEEL RAIL	26-03	PROVIDE WALL MOUNTED LINEAR FIXTURE; REFER TO ELECTRICAL DRAWINGS
08-08	PROVIDE 3/4" LAMINATED GLASS WITH GRAPHIC	08-62	PROVIDE NEOPRENE COMPRESSION SEAL BY DOOR	09-52	PROVIDE 3" GWB TRIM AT FACE OF CEILIING	14-09	PROVIDE CAR OPERATING PANEL	00.04	
30 30	INTERLAYER		MFR	09-53	PROVIDE 4" METAL FRAMING	14-10	PROVIDE COMBINATION HALL LANTERN	26-04	PROVIDE WALL MOUNTED RECESSED TRIMLESS LINEAR FIXTURE; REFER TO ELECTRICAL DRAWINGS
08-10	PROVIDE AUTOMATIC DOOR OPENER	08-63	PROVIDE DROP SEAL	09-54	PROVIDE CARPET TILE	22-01	PROVIDE WATER CLOSET; REFER TO PLUMBING DRAWINGS	26-05	PROVIDE CEILING MOUNTED LINEAR FIXTURE;
08-11	PROVIDE STAINLESS STEEL CHANNEL TO MATCH ALL GLASS DOOR RAILS	08-64	PROVIDE ADJUSTABLE THRESHOLD	09-55	PROVIDE EXTERIOR SOFFIT SYSTEM	22-02	PROVIDE WALL MOUNTED SINK; REFER TO	20-03	REFER TO ELECTRICAL DRAWINGS
08-12	PROVIDE GLASS PARTITION	08-65	PROVIDE ACCESS PANEL	09-56	PROVIDE TONGUE & GROOVE WOOD FLOOR		PLUMBING DRAWINGS	26-06	PROVIDE CEILING MOUNTED LIGHT FIXTURE; REFER TO ELECTRICAL DRAWINGS
08-13	PROVIDE INSULATED PREFINISHED ALUMINUM	08-66	PROVIDE ALUMINUM STILE AT SIMILAR CONDITION			22-03	PROVIDE WALL MOUNTED URINAL; REFER TO PLUMBING DRAWINGS	26-07	PROVIDE CEILING MOUNTED RECESSED TRIMLESS
30 .0	EXTRUSION; MITERED AT CORNERS	9	FINISHES	09-57	PROVIDE DRYWALL CORNER TRIM	22-04	PROVIDE ROOF DRAIN; REFER TO PLUMBING DRAWINGS	20 07	LINEAR FIXTURE W/ WALL WASHER; REFER TO ELECTRICAL DRAWINGS
08-15	PROVIDE NEW DOOR AND FRAME IN EXISTING OPENING	09-01	PROVIDE 2X2 ACOUSTIC CEILING TILES	09-58	PROVIDE REDUCER STRIP	00.00		26-08	PROVIDE FLUORESCENT COVE LIGHTING; REFER TO
08-16	PROVIDE ROOF HATCH	09-02	PROVIDE 3-5/8" METAL STUD FRAMING	09-59	PROVIDE MUD IN ALUMINUM J-TRIM	22-06	PROVIDE FLOOR DRAIN; REFER TO PLUMBING DRAWINGS		ELECTRICAL DRAWINGS
08-17	PROVIDE 1" INSULATED GLASS UNIT	09-03	PROVIDE 7/8" HAT CHANNEL	09-60	PROVIDE BRACING TO STRUCTURE AS REQUIRED BY MANUFACTURER OF WCP-1	22-09	PROVIDE OVERFLOW ROOF DRAIN; REFER TO PLUMBING DRAWINGS	26-11	PROVIDE SUSPENDED LINEAR FIXTURE; REFER TO ELECTRICAL DRAWINGS
08-18	PROVIDE SLIDING GLASS DOOR	09-04	PROVIDE 1 1/2" FURRING CHANNEL FRAMING	09-61	PROVIDE HIGH PERFORMANCE PAINT; COMPLETE	22-10	PROVIDE SUMP PUMP; REFER TO PLUMBING	26-14	PROVIDE WALL SCONCE; REFER TO ELECTRICAL
08-19	PROVIDE FRAME ANCHOR	09-06	PROVIDE 4" CH CHANNEL FRAMING	09-62	PROVIDE EXTERIOR SOFFIT SYSTEM	22-10	DRAWINGS		DRAWINGS
08-20	PROVIDE 37" X 29" (VIF) ACCESS PANEL TO HOUSE	09-07	PROVIDE 2 1/2" I STUD FRAMING	10	SPECIALTIES	22-11	PROVIDE SETTLING BASIN; REFER TO PLUMBING DRAWINGS	26-15	PROVIDE CEILING MOUNTED EDGE-LIT EXIT SIGNAGE
00 20	REMAINS; PAINT TO MATCH ADJACENT WALLS AND PROVIDE KEY ACCESS FROM EXHIBIT SIDE	09-08	PROVIDE 5/8" GYPSUM BOARD	10-01	PROVIDE 3'-0" GRAB BAR	22-12	PROVIDE SEWAGE EJECTOR; REFER TO PLUMBING	26-16	PROVIDE WEATHERPROOF RECEPTACLE; REFER TO
08-21	PROVIDE DOOR AS SCHEDULED	09-09	PROVIDE 5/8" IMPACT RESISTANT GYPSUM BOARD	10-02	PROVIDE RECESSED SOAP DISPENSER		DRAWINGS		ELECTRICAL DRAWINGS; PATCH MASONRY AS NECESSARY TO MATCH EXISTING VENEER
08-25	PROVIDE SKYLIGHT	09-10	PROVIDE 5/8" MOISTURE AND MOLD RESISTANT	10-03	PROVIDE SEAT COVER DISPENSER	22-13	PROVIDE DOWNSPOUT NOZZLE; REFER TO PLUMBING DRAWINGS; BORE HOLE IN EXISTING	26-17	PROVIDE PIT LIGHT AND GFCI OUTLET; REFER TO ELECTRICAL DRAWINGS
08-26	PROVIDE FULL GLASS DOOR	00.44	GYPSUM BOARD	10-04	PROVIDE WALL PARTITION MOUNTED TOILET PAPER		WALL AND PATCH MASONRY AS NECESSARY TO MATCH EXISTING VENEER	26-19	REFER TO ELECTRICAL DRAWINGS FOR LIGHTING IN
08-27	PROVIDE STOREFRONT ASSEMBLY	09-11	PROVIDE 3 1/2" SOUND ATTENUATION BLANKET		DISPENSER	22-14	PROVIDE SECURABLE WALL HYDRANT; REFER TO	20-13	ARCHEOLOGICAL REMAINS
08-29	PROVIDE FRAMELESS DOOR	09-12	PROVIDE 1" GYPSUM SHAFT LINER PANEL	10-05	PROVIDE SURFACE MOUNTED PAPER TOWEL DISPENSER		PLUMBING DRAWINGS; PATCH MASONRY AS NECESSARY TO MATCH EXISTING VENEER	26-21	PROVIDE SWITCH; REFER TO ELECTRICAL DRAWINGS
08-30	PROVIDE GLAZING PANEL MOUNTED TO ALUMINUM	09-13	PROVIDE 5/8" FIRE SHIELD GYPSUM BOARD	10-07	PROVIDE RECESSED BABY CHANGING STATION	22-15	PROVIDE HOSE BIB	26-22	PROVIDE STOP SWITCH
30 30	FRAME WITH STRUCTURAL GLAZING TAPE; ALL SIDES	09-14	PROVIDE 5/8" GYPSUM BOARD SUSPENDED CEILING	10-08	PROVIDE WALL HUNG ADA COMPLIANT MIRROR	22-16	PROVIDE DRINKING FOUNTAINS; REFER TO PLUMBING DRAWINGS	26-23	PROVIDE LIGHTING FIXTURE MOUNTING BRACKET
08-31	PROVIDE SETTING BLOCK FOR GLASS RAILING	09-15	PROVIDE CERAMIC TILES AS SCHEDULED	10-09	PROVIDE FLOOR MOUNTED POWDER COATED MTL	23	HEATING VENTILATING AND AIR CONDITIONING	26-24	PROVIDE LIGHTING FIXTURE; REFER TO
08-32	PROVIDE GLASS RAILING	09-16	PROVIDE J TRACK AT CEILING PERIMETER		TOILET PARTITION	23-01	PROVIDE LINEAR AIR DIFFUSER; REFER TO		ELECTRICAL DRAWINGS
08-33	PROVIDE END CAP, PAINTED TO MATCH WALL	09-17	PROVIDE FRAMING AS REQUIRED	10-10	PROVIDE WALL MOUNTED URINAL SCREEN	23-01	MECHANICAL DRAWINGS	26-25	PROVIDE POWER/DATA/AV FLOOR BOX
08-34	PROVIDE STRUCTURAL GLASS CURTAIN WALL	09-18	PROVIDE DRYWALL, PAINTED	10-11	PROVIDE 3'-6" GRAB BAR	23-03	RELIEF DUCT WITH SOUND LINER; REFER TO MECHANICAL DRAWINGS	26-26	PROVIDE LIGHTING FIXTURE; COORDINATE CMU AND CONCRETE BASE TO RECIEVE FIXTURE
08-35	STEEL GLAZING SUPPORTS BY STRUCTURAL GLASS	09-19	PROVIDE 6" BASE AS SCHEDULED	10-12	PROVIDE SANITARY NAPKIN DISPOSAL	23-04	PROVIDE AIR DIFFUSER; REFER TO MECHANICAL	28-01	PROVIDE WALL MOUNTED SPEAKER STROBE
	CURTAIN WALL INSTALLER	09-20	PROVIDE WOOD PANELING ON Z CLIPS	10-13	PROVIDE HAND DRYER	20 0 1	DRAWINGS	32-01	PROVIDE FLUSH PAVERS ON MORTAR BED; REUSE
08-36	PROVIDE INSULATED ACCESS DOOR	09-21	PROVIDE "F" REVEL MOLDING	10-14	PROVIDE JANITOR CLOSET UTILITY SHELF	23-05	PROVIDE AIR RETURN GRILLE; REFER TO MECHANICAL DRAWINGS		SALVAGED BLUESTONE PAVERS; MATCH EXISTING ADJACENT ELEVATION
08-37	SKYLIGHT LOUVER MOTOR	09-22	PROVIDE ACOUSTICAL CEILING PANELS	10-16	PROVIDE MIRROR GLUED ON SUBSTRATE; REFER TO INTERIOR ELEVATIONS, SECTIONS AND	23-06	PROVIDE RADIATOR GRILL	32-02	AFTER CONSTRUCTION MULCH TREE USING A DARK
08-38	SKYLIGHT LOUVER MOUNTING BRACKET	09-23	PROVIDE HORIZONTAL 1 HR RATED PARTITION TYPE 17 AT OPENING IN CONCRETE SLAB		ENLARGED PLANS FOR DIMENSIONS	23-07	PROVIDE FIN TUBE RADIATOR; REFER TO		DOUBLE-GROUND MATERIAL AND APPLY OUT TO THE EDGE OF THE SOIL AREA TO A DEPTH OF NO MORE THAN 2 -3" WITH NO MATERIAL TOUCHING
08-39	ACRYLIC LENSE	09-24	ENTRY DESK, N.I.C.	10-18	PROVIDE INSULATED ROOF HATCH		MECHANICAL DRAWINGS		THE TREES TRUNK
08-40	SKYLIGHT LOUVER	09-26	PROVIDE MORTAR JOINT	10-19	PROVIDE INSULATED EQUIPMENT CURB	23-08	PROVIDE LOUVER; REFER TO MECHANICAL DRAWINGS	32-03	PROVIDE INLINE DRAIN SYSTEM
08-41	PROVIDE GLASS PANEL	09-27	PROVIDE 3/4" SUBSTRATE	11	EQUIPMENT	23-09	PROVIDE ROOF TOP UNIT; REFER TO MECHANICAL	32-04	PROVIDE FILL
08-42	PROVIDE LOUVER RACK ARM	09-28	PROVIDE FLOOR FINISH AS SCHEDULED	11-01	PROVIDE CEILING MOUNTED RECESSED PROJECTOR; REFER TO TA SERIES DRAWINGS		DRAWINGS	32-05	PROVIDE PAVERS ON SETTING BED
08-43	PROVIDE SPACING BLOCK AT EACH MECHANICAL FASTENER	09-29	PROVIDE SOUND ABSORBING INSULATION	11-02	PROVIDE ANNUNCIATOR PANEL	23-10	PROVIDE CUSTOM BREAK METAL PLENUM BOX, REFER TO MECH DWGS		
08-44	PROVIDE CONTINUOUS WEATHER STRIPPING	09-30	PROVIDE 1 HR RATED DUCT ENCLOSURE	11-04	PROVIDE 2 WAY INTERCOM SYSTEM AT AREAS OF	23-11	PROVIDE RETURN AIR SLOT		
08-44	PROVIDE TOP PIVOT CONCEALED IN MULLION	09-30	WALL FINISH N.I.C.; SEE EXHIBIT DESIGN PACKAGE		REFUGE				
08-46	PROVIDE CONTINUOUS EXTRUDED ALUMINUM DRIP;	09-31	PROVIDE 1/2" GYPSUM BOARD	11-05	PROVIDE WALL MOUNTED POWER ASSISTED DOOR ACTUATOR				
00-40	I NOVIDE CONTINUOUS EXTRUDED ALUMINUM DRIP;	U3-32	I NOVIDE 1/2 OTT SOM BOAND						

PROVIDE BRACING AS REQUIRED

MUD INTO DRYWALL ASSEMBLY

PROVIDE PAINT AS SCHEDULED

PROVIDE WOOD CEILING PANEL

PROVIDE PARTITION AS SCHEDULED

PROVIDE DRYWALL SUSPENSION SYSTEM

PROVIDE EXTRUDED ALUMINUM DRYWALL REVEAL SIMILAR TO FRY REGLET "W" REVEAL; TAPE AND

PROVIDE ACOUSTIC CEILING PANEL TRIM SYSTEM

PROVIDE WALL MOUNTED ACOUSTIC PANEL

PROVIDE FABRIC WRAPPED ACOUSTIC PANEL

12

12-03

12-07

FURNISHINGS

SCHEDULE

STACKABLE CHAIRS; NIC

PROVIDE RECEPTION DESK

SHOP CASEWORK, NIC

PROVIDE READER RAIL; NIC

PROVIDE CALL BUTTON PANEL

CONVEYING EQUIPMENT

PROVIDE WOOD DISPLAY PANEL

PROVIDE QUARTZ COUNTER TOP AS PER FINISH

PROVIDE MOVABLE SITE FURNISHINGS

PROVIDE CONCEALED FLOOR MOUNTED DOOR

PROVIDE CONCEALED FLOOR MOUNTED DOOR CLOSER WITH FLOOR FINISH PAN

CHAMFER WOOD FRAME TO PROVIDE SMOOTH

ISOLATE FROM COPPER ROOFING

OPENER WITH FLOOR FINISH PAN

PROVIDE FLOOR TRACK

PROVIDE STOP BLOCK

JOINT COMPOUND FINISH

PROVIDE SLIDING DOOR RAIL

PROVIDE ROLLER SYSTEM TOP TRACK


PROVIDE CONCEALED HINGE AT JAMB

PROVIDE CONTINUOUS MAGNETIC SEAL

08-50

08-52

A/E FIRM	DESIGNED:	SUB SHEET NO.	TITLE OF SHEET	DRAWING NO.
PRIME: QUINN EVANS ARCHITECTS	CE MV	<u> </u>	KEYNOTE MASTER LIST (CON'T)	391 100042 PMIS/PKG NO.
WASHINGTON, DC	TECH. REVIEW: BB DATE: 03/15/2011	GD.	FRANKLIN COURT MUSEUM INDEPENDENCE NATIONAL HISTORICAL PARK	8384 SHEET 5 OF 219




GENERAL NOTES


TECH. REVIEW: DATE: 03/15/2011

PROTECTION PLAN FRANKLIN COURT MUSEUM

INDEPENDENCE NATIONAL HISTORICAL PARK

PMIS/PKG NO. 8384 SHEET 6 OF 219





	ARE	Occupied	E - COURT LEVEL	Occupancy		Occupancy
Number	Name	Area	Occupancy	Load Factor	Egr. wd	
200	VESTIBULE	970 SF	MUSEUM SPACE	50 SF	0.2	20
201	UPPER LOBBY	486 SF	MUSEUM SPACE	50 SF	0.2	10
202	SHOP	903 SF	RETAIL	30 SF	0.2	31
203	MECHANICAL CLOSET	64 SF	MAINTENANCE	300 SF	0.2	1

+ Stairs have not been included in occupancy calculation

Court Level Total Occupancy = 62 persons x 0.2 egress door width = 34" min required - 204" provided

	ARE	A SCHEDULE	- MUSEUM LEVEL			
		Occupied		Occupancy		Occupancy
Number	Name	Area	Occupancy	Load Factor	Egr. wd	Load
100	LOWER LOBBY	2552 SF	MUSEUM SPACE	50 SF	0.3	52
101	MULTIPURPOSE ROOM	947 SF	ASSEMBLY*	7 SF	0.3	136
101A	STORAGE	24 SF	STORAGE	300 SF	0.3	1
101A	STORAGE	99 SF	OTOTALOE	300 01	0.0	•
101C	STORAGE	62 SF				
102	CORRIDOR	452 SF	SUPPORT	100 SF	0.3	5
103	STORAGE	214 SF	STORAGE	300 SF	0.3	1
104	VESTIBULE	84 SF	SUPPORT	100 SF	0.3	1
105	WOMEN WC	314 SF	SUPPORT	100 SF	0.3	4
106	MEN WC	243 SF	SUPPORT	100 SF	0.3	3
107	FAM WC	85 SF	SUPPORT	100 SF	0.3	1
108	JC	35 SF	MAINTENANCE	100 SF	0.3	1
109	TRASH RM	105 SF	MAINTENANCE	300 SF	0.3	1
110	CORRIDOR	307 SF	SUPPORT	100 SF	0.3	4
111	MECHANICAL ROOM	1260 SF	MAINTENANCE	300 SF	0.3	5
112	BOILER RM	239 SF	MAINTENANCE	300 SF	0.3	1
113	STORAGE	116 SF				
114	CORRIDOR	285 SF	SUPPORT	100 SF	0.3	3
115	EXHIBIT AV RM	259 SF				
116	STAFF RM	157 SF				
117	SHOP OFFICE	150 SF				
117A	COUNTING RM	97 SF				
118	AV ROOM	189 SF	MAINTENANCE	300 SF	0.3	1
119	VESTIBULE	86 SF				
120	ELECTRICAL ROOM	876 SF	MAINTENANCE	300 SF	0.3	3
121	EMR	51 SF	MAINTENANCE	300 SF	0.3	1
122	EXHIBIT	6025 SF	MUSEUM SPACE	50 SF	0.3	121

* Sign posted in the multipurpose room indicates max occupancy to be 123 persons

+ Stairs have not been included in occupancy calculation

DESIGNED:


DATE: 03/15/2011

QUINN EVANS

ARCHITECTS

WASHINGTON, DC

Museum Level Total Occupancy = 332 persons (*w/ posted sign) x 0.3 egress stair width = 99.6" min required -







DRAWING NO.

<u>391</u>

SUB SHEET NO. TITLE OF SHEET LIFE SAFETY PLANS AND ANALYSIS TECH. REVIEW:

FRANKLIN COURT MUSEUM INDEPENDENCE NATIONAL HISTORICAL PARK

100042 PMIS/PKG NO. 8384 SHEET 8 OF 219