

## APPENDIX N: C&O CANAL NHP – FISH SURVEY

---

Georgetown University Boathouse  
Environmental Assessment

April 2006

Table 1. Occurrence of fishes in the C&O Canal NHP. An 'X' indicates the species was collected during either qualitative or quantitative surveys. If species was not observed, there is no X.

Species	CHOH
<b>Petromyzon marinus</b>	
<b>Anguilla rostrata</b>	X
<b>Campostoma anomalum</b>	X
<b>Carassius auratus</b>	X
<b>Clinostomus funduloides</b>	X
<b>Cyprinella analostana</b>	X
<b>Cyprinella spiloptera</b>	X
<b>Cyprinus carpio</b>	X
<b>Exoglossum maxillingua</b>	X
<b>Hybognathus regius</b>	X
<b>Luxilus cornutus</b>	X
<b>Margariscus margarita</b>	X
<b>Nocomis micropogon</b>	X
<b>Notemigonus crysoleucas</b>	X
<b>Notropis amoenus</b>	X
<b>Notropis buccatus</b>	X
<b>Notropis hudsonius</b>	X
<b>Notropis procne</b>	X
<b>Notropis rubellus</b>	X
<b>Pimephales notatus</b>	X
<b>Pimephales promelas</b>	X
<b>Rhinichthys atratulus</b>	X
<b>Rhinichthys cataractae</b>	X
<b>Semotilus atromaculatus</b>	X
<b>Semotilus corporalis</b>	X
<b>Catostomus commersoni</b>	X
<b>Erimyzon oblongus</b>	X
<b>Hypentelium nigricans</b>	X
<b>Moxostoma erythrurum</b>	X
<b>Moxostoma macrolepidotum</b>	
<b>Ameiurus catus</b>	X
<b>Ameiurus natalis</b>	X
<b>Ameiurus nebulosus</b>	X
<b>Ictalurus punctatus</b>	X
<b>Noturus insignis</b>	X
<b>Esox lucius xE. masquinongy</b>	
<b>Esox niger</b>	X
<b>Umbra pygmaea</b>	X

<i>Species</i>	CHOH
<b>Oncorhynchus mykiss</b>	X
<b>Salmo trutta</b>	X
<b>Salvelinus fontinalis</b>	X
<b>Fundulus diaphanus</b>	X
<b>Gambusia holbrooki</b>	X
<b>Cottus caeruleomentum</b>	X
<b>Cottus girardi</b>	X
<i>Cottus sp. cf. cognatus</i>	X
<b>Ambloplites rupestris</b>	X
<b>Lepomis auritus</b>	X
<b>Lepomis cyanellus</b>	X
<b>Lepomis gibbosus</b>	X
<b>Lepomis gulosus</b>	X
<b>Lepomis macrochirus</b>	X
<b>Lepomis megalotis</b>	X
<b>Lepomis microlophus</b>	
<b>Lepomis hybrids</b>	X
<b>Micropterus dolomieu</b>	X
<b>Micropterus salmoides</b>	X
<b>Pomoxis annularis</b>	X
<b>Pomoxis nigromaculatus</b>	X
<b>Etheostoma blennioides</b>	X
<b>Etheostoma caeruleum</b>	X
<b>Etheostoma flabellare</b>	X
<b>Etheostoma olmstedti</b>	X
<b>Percina peltata</b>	X
<b>Perca flavescens</b>	X
<b>Stizostedion vitreum</b>	X

From: Inventory and Biological Monitoring of Fishes in National Parks of the National Capital Region,  
December 2004

Principal Investigator:

Richard L. Raesly  
Department of Biology  
101 Braddock Road  
Frostburg State University  
Frostburg, MD 21532