

CHAPTER 6: REFERENCES CITED

- Alaska Department of Fish and Game. 2006. Personal communication with Gordie Woods, Area Commercial Fisheries Manager. Yakutat, Alaska, July and September, 2006.
- American Public Health Association (APHA). 1998. Standard methods for the examination of water and wastewater, 20th ed. American Public Health Association. Washington, D.C.
- Andres, Brad A. and B.T. Browne. 1998. Spring migration of shorebirds on the Yakutat forelands, Alaska. *Wilson Bulletin*, Vol. 110. No. 3. Pp 326-331.
- Bachman, R., W.Bergmann, J. Breese, W. Davidson, P. Dohery, S. Formes, D. Gordon, D. Harris, S. Heinl, K. Jensen, M. Kallenberger, S. Kelley, B. Lynch, B. Meredith, K. Monagle, P. Skannes, L. Shaul, T. Thynes, A. Tingley and G. Woods. 2005. 2005 commercial, personal use, and subsistence salmon fisheries: Report to the Alaska Board of Fisheries. Alaska Department of Fish and Game Fishery Management Report No. 05-68.
- Bash, J., C. Berman and S. Bolton. 2001. Effects of turbidity and suspended solids on salmonids. Center for Streamside Studies, University of Washington. Seattle. 74 pp.
- Berry, Kristin H. 1980. A review of the effects of off-road vehicles on birds and other vertebrates. Pp. 451-467 *in* Management of western forests and grasslands for non-game birds, compiled by R.M. DeGraaf and N.G. Tilghman. Workshop Proceedings, USDA Forest Service, General Technical Report INT-86.
- Bisson, P.A. and R.E. Bilby. 1982. Avoidance of suspended sediment by juvenile coho salmon. *North American journal of Fisheries Management* 2:371-374.
- Celewycz, A.G. and A.C. Wertheimer. 1997. Suitability of Dry Bay, Southeastern Alaska, as rearing habitat for juvenile salmon. U.S. Dept. Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Alaska Fisheries Science Center. NOAA Technical Memorandum NMFS-AFSC-73.
- Chapin, F.S., III and G.R. Shaver. 1981. Changes in soil properties and vegetation following disturbance of Alaskan arctic tundra. *Journal of Applied Ecology*, 18: 605-617.
- Chin, A., D.M. Rohrer, D.A. Marion, and J.A. Clingenpeel. 2004. Effects of all-terrain vehicles on stream dynamics. Pp. 292-296 in J.M. Guldin (tech. comp.) Quachita and Ozark Mountains symposium: Ecosystem management research. US Department of Agriculture, Forest Service, Southern Research Station. Gen. Tech. Rep. SRS-74. Asheville, North Carolina.
- Clark, J.H.,G. Woods and S. Fleischman. 2003. Revised biological escapement goal for the sockeye salmon stock returning to the East Alek-Doame river system of Yakutat,

- Alaska. Alaska Department of Fish and Game, Sportfish Division. Special Publication No. 03-04.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. FWS/OBS-79/31. 103 pp.
- Deschu, N., D. Thompson, H. Seitz and K. Thomson. 1995. International gaging station established on the Alsek River. Pp. 184-189 in D.R. Enstrom (ed.) Proceedings of the Third Glacier Bay Science Symposium, 1993. USDO, National Park Service, Anchorage, Alaska.
- Dudgeon, Greg. 2003. data sheets for the alsek river corridor and glacier bay national preserve. National Park Service. Unpublished Report. 12 pg.
- Environment Canada. 2000. Smoke on the water. The Science and the Environment Bulletin May/June. http://www.ec.gc.ca/science/sandemay00/printversion/print1_e.html
- Faber, D., C. Soiseth, C. Murdoch, and J. Wardell. 2005. Evaluation of habitat and growth trends for East Alsek sockeye salmon in Glacier Bay National Preserve, Alaska. Annual data summary draft report. University of Alaska, School of Fisheries. Juneau, Alaska. 58 pp.
- Gibeau, Michael L., A.P. Clevenger, S.Herrero, and J. Wierzchowski. 2002. Grizzly bear response to human development and activities in the bow river watershed, Alberta, Canada. Biological Conservation, Vol. 103. No. 2. Pages 227-236.
- Gmelch, G. 1982. Resource Use in Glacier Bay National Preserve; NPS Research/Resources Management Report, AR-6. Glacier Bay National Park and Preserve, Gustavus, Alaska.
- Happe, P.J., K.E. Shea and W.M. Loya, 1998. Assessment of all-terrain vehicle (ATV) impacts: within Wrangell-St, Elias National Park and Preserve, Alaska. Unpublished Wrangell-Saint Elias National Park and Preserve Research and Resource Management Report No. 98-1. Copper Center, AK: U.S. Department of the Interior, Wrangell-St, Elias National Park and Preserve.
- Harvey, G.W. 1989. Technical review of sediment criteria. Water Quality Bureau, Idaho Dept. of Health & Welfare. Boise, ID. 29 pp.
- Hinckley, B.S., R. M. Iverson and B. Hallet. 1984. Accelerated water erosion in ORV-use areas. Pp. 81-96 in R.H. Webb and H. G. Wilshire (eds) Environmental effects of off-road vehicles. Springer-Verlag, New York.
- Jenks, G. F. and F. C. Caspall. 1971. "Error in Choroplethic Maps: Definition, Measurement, Reduction. *Annals of the Association of American Geographers* 61 (2, June), 217-244.

- Kanouse, Kate. 2006. Memorandum: Dry Bay ORV Trails Trip Report. State of Alaska, Department of Natural Resources, Office of Habitat Management and Permitting. August 22, 2006.
- Lake, R.G. and S.G. Hinch. 1999. Acute effects of suspended sediment angularity on juvenile coho salmon (*Oncorhynchus kisutch*). Canadian Journal of Fisheries and Aquatic Sciences 56:862-867.
- Larsen, C.F., R.J. Motyka, J.T. Freymueller, K.A. Echelmeyer, E.R. Ivins. 2004. Rapid uplift of southern Alaska caused by recent ice loss. Geophys. J. Int. 158:1118-1133.
- Larsen, C.F., R.J. Motyka, J.T. Freymueller, K.A. Echelmeyer and E.R. Ivins. 2005. Rapid viscoelastic uplift in southeast Alaska caused by post-Little Ice Age glacial retreat. Earth and Planetary Science Letters 237:548-560.
- Lloyd, D.S. 1987. Turbidity as a water quality standard for salmonid habitats in Alaska. North American Journal of Fisheries Management 7:34-45.
- Lloyd, D.S., J.P. Koenings, and J.D. LaPerriere. 1987. Effects of turbidity in fresh waters of Alaska. North American Journal of Fisheries Management 7:18-33.
- MacDonald, L.H., A.W. Smart and R.C. Wissmar. 1991. Monitoring guidelines to evaluate effects of forestry activities on streams in the Pacific Northwest and Alaska. US Environmental Protection Agency. Water Division, EPA/910/9-91-001. University of Washington, Seattle, Washington.
- McLeay, K.J., I.K. Birtwell, G.F. Hartman, and G.L. Ennis. 1987. Responses of Arctic grayling, *Thymallus arcticus*, to acute and prolonged exposure to Yukon placer mining sediment. Can. J. Fish. Aquat. Sci. 44:658-673. 166 pp.
- Meyer K. 2002. Managing degraded off-highway vehicle trails in wet, unstable, and sensitive environments. USDA Forest Service, Technology & Development Program. Tech. Rep. 0223-2821-MTDC. Missoula, MT. 48 pp.
- Molnia, B.F. 1979. Sedimentation in coastal embayments, Northeastern Gulf of Alaska. 11th Annual Offshore Technology Conference. April 30-May 3, 1979. Houston, Texas.
- Montgomery, D.R., J.M. Buffington, N.P. Peterson, D. Schuett-Hames and T.P. Quinn. 1996. Stream-bed scour, egg burial depths, and the influence of salmonid spawning on bed surface mobility and embryo survival. Can. J. Fish. Aquat. Sci 53:1061-1070.
- National Park Service, 1984. General Management Plan: Glacier Bay National Park and Preserve, Alaska. Gustavus, AK: Department of the Interior, National Park Service, Glacier Bay National Park and Preserve.

National Park Service. 2001a. Directors Order 12: Conservation Planning and Environmental Impact Analysis, and Decision Making.

National Park Service. 2001b. 2001 NPS Management Policies. Available on the Internet @ <http://www.nps.gov/refdesk/mp/>.

National Park Service. 2002. ATV task 5 report. National Park Service. ATV Technical Working Group. Excerpts.

National Park Service. 2004. Environmental Assessment Dry Bay Facility Improvements. Gustavus, Alaska: Glacier Bay National Park and Preserve.

National Park Service. 2005. Glacier Bay National Park and Preserve. Prospectus: A Concession Business Opportunity for Lodging, Food and Beverage and Associated Incidental Services in Glacier Bay National Park and Preserve in the Dry Bay Area. Anchorage, Alaska: NPS, Alaska Regional Office.

Newcombe, C.P. and J. O.T. Jensen. 1996. Channel suspended sediment and fisheries: A synthesis for quantitative assessment of risk and impact. N.A.J. Fish. Mgmt. 16(2):693-727.

Petersen, Margaret R., Jan C. Greulich, and Nancy M. Harrison. 1981. Spring and Fall Migration, and Habitat Use by Water Birds in the Yakutat Forelands, Alaska-1980. Report. Marine Bird Section, National Fishery Research Center. Anchorage, AK. 30 pp.

Pyare, Sanjay, K. McCoy, and W. Smith. 2005. Space use and habitat use by moose in relation to ohv routes on the Yakutat forelands. University of Alaska Southeast. Preliminary Report to USDA Forest Service. 30 pp.

Rapp, Whitney. 2006. Exotic Plant Management in Glacier Bay National Park and Preserve, Gustavus, Alaska. Summer 2006 Field Season Report. Glacier Bay National Park and Preserve. Gustavus, Alaska.

Phillips, R.W., R.L. Lantz, E.W. Claire and J.R. Moring. 1975. Some effects of gravel mixtures on emergence of coho salmon and steelhead fry. Trans. Am. Fish. Soc. 104:461-466.

Redding, J.M., C.B. Schreck and F.H. Everest. 1987. Physiological effects on coho salmon and steelhead of exposure to suspended solids. Trans. Am. Fish. Soc. 116:737-744.

Reiser, D.W. and R.G. White. 1988. Effects of two sediment size-classes on survival of steelhead and salmon eggs. North American Journal of Fisheries Management 8(4):432-437.

Rickard, W.E. & J. Brown, 1974. Effects of vehicles on arctic tundra. Environmental Conservation, 1(1): 55-62.

- Rinella, D.J. and D.L. Bogan. 2003. Ecological impacts of the three lower Kenai Peninsula, Alaska, ATV stream fords. Unpublished report to Alaska Department of Environmental Conservation. Division of Air & Water Quality Anchorage, Alaska. 34 pp.
- Rosenberg, D.M. and A. P. Wiens. 1978. Effects of sediment addition on macrobenthic invertebrates in a northern Canadian River. *Freshwater Research* 12:753-763.
- Servizi, J.A. and D.W. Martens. 1987. Some effects of suspended Fraser River sediments on sockeye salmon, *Oncorhynchus nerka*. Pp. 254-264 in H.D. Smith, L. Maroglis, and CC Wood (eds.), *Sockeye salmon, Oncorhynchus nerka, population biology and future management*. Can. Spec. Publ. Fish Aquat. Sci. No. 96.
- Sigler, J.W., T.C. Bjornn and F.H. Everest. 1984. Effects of chronic turbidity on density and growth of steelheads and coho salmon. *Trans. Am. Fish. Soc.* 113:142-150.
- Soiseth, C., C. Murdoch and D. Faber. 2005. Meteorological and hydrological monitoring results for the Dry Bay Preserve, Glacier Bay National Park 2005. Draft Report. National Park Service, Glacier Bay National Park. 35 pp.
- Sowl, Kristine and R. Poetter. 2004. Impact analysis of off-road vehicle use for subsistence purposes on refuge lands and resources adjacent to the king cove access project. US Fish and Wildlife Service. 24pp.
- Stoker, S.H. and S.L. Seager. 1976. *Environmental chemistry: Air and water pollution*. Scott, Foresman and Company, Glenview, Illinois. 233 pp.
- Stokowski, Patricia A. and C.B. LaPointe. 2000. Environmental and social effects of ATVs and ORVs: an annotated bibliography and research assessment. University of Vermont. 32 pp.
- Taylor, Richard B. The effects of off-road vehicles on ecosystems. Texas Parks and Wildlife Undated Report. 13 pp.
- Trombulak, S.C. and C.A. Frissell. 2000. Review of ecological effects of roads on terrestrial and aquatic communities. *Conservation Biology* 14:18-30.
- Van Nieuwenhuysse, E.E. and J.D. LaPerriere. 1986. Effects of placer gold mining on primary production in subarctic streams of Alaska. *Water Resources Bulletin* 11:91-99.
- USFWS. 1994. Guidelines for managing recreational activities in piping plover breeding habitat on the U.S. Atlantic coast to avoid take under section 9 of the Endangered Species Act. Northeast Region, US Fish and Wildlife Service. 14 pp.
- U.S. Army Corp of Engineers. 1978. Wetland Delineation Manual, Environmental Laboratory Technical Report Y-87-1.

- USDA. 1973. Management Report for the Dry Bay Planning Unit. Various pages *in* US Forest Service Planning Area Management Report. 79 pp.
- USDA. 2004. Recreation and Tourism. Pp. 1-15 *in* 2004 Tongass Monitoring and Evaluation Report. USDA, Forest Service.
- Viereck, L.A., C.T. Dyress, A.R. Batten, and K.J. Wenzlick. 1992. The Alaska vegetation classification, U.S. Dept. of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. 278 p.
- Waltemyer, D.L., D. Reed, M. Tracy and J.H. Clark. 2006. A mark-recapture experiment to estimate the spawning escapement of sockeye salmon in the East Alsek River, 2003. Alaska Department of Fish and Game, Division of Commercial Fisheries. Fishery Data Series No. 05-XX.
- Walker D.A., D. Cate, J. Brown & C. Racine, 1987. Disturbance and recovery of arctic Alaskan tundra terrain. U.S. Army Corps of Engineers Cold Regions Research and Engineering Laboratory, Hanover, NH, CRREL Report 87-11.
- Wilber, C.G. 1983. Turbidity in the aquatic environment. An environmental factor in fresh and oceanic waters. Charles C. Thomas. Springfield, IL. 133 pp.