

**APPENDIX B  
LITERATURE CITED**

- Andersen, D.E., O.J. Rongstad, and W.R. Mytton. 1989. Response of nesting red-tailed hawks to helicopter overflights. *Condor*. 91:296-299.
- Artois, M., F. Cliquet, J. Barrat, and C.L. Schumacher. 1997. Effectiveness of SAG1 oral vaccine for the long-term protection of red foxes (*Vulpes vulpes*) against rabies. *Vet. Rec.* 140:57-59.
- Artois, M., E. Masson, J. Barrat, and M.F.A. Aubert. 1993. Efficacy of three oral rabies vaccine-baits in the red fox: a comparison. *Vet. Microb.* 38:167-172.
- Artois M., K.M. Charlton, N.D. Tolson, G.A. Casey, M.K. Knowles, and J.B. Campbell. 1990. Vaccinia recombinant virus expressing the rabies virus glycoprotein: safety and efficacy trials in Canadian wildlife. *Can. J. Vet. Res.* 54(4):504-7.
- Baer G.M. 1988. Oral rabies vaccination: an overview. *Rev. Infect. Dis.* 10:S644-8.
- Bailey, R.G. 1995. Description of the ecoregions of the United States. (1<sup>st</sup> ed. 1980). Misc. Publ. No. 1391 (rev.) Washington, DC: USDA Forest Service. 108p.
- Belanger, L. and J. Bedard. 1990. Energetic cost of man-induced disturbance to staging snow geese. *J. Wildl. Manage.* 54:36-41.
- Belanger, L. and J. Bedard. 1989. Responses of staging greater snow geese to human disturbance. *J. Wildl. Manage.* 53:713-719.
- Blanton, J.D., J.W. Krebs, C.A. Hanlon, and C.E. Rupprecht 2006. Rabies surveillance in the United States during 2005. *JAVMA*. 229(12):1897-1911.
- Brown, C.L. and C.E. Rupprecht. 1990. Vaccination of free-ranging Pennsylvania raccoons (*Procyon lotor*) with inactivated rabies vaccine. *J. Wildl. Dis.* 26(2):253-257.
- CDC (Centers for Disease Control and Prevention). 2007a. Rabies. Information obtained from website: <http://www.cdc.gov/ncidod/dvrd/rabies>.
- CDC (Centers for Disease Control and Prevention). 2007b. Mass Treatment of humans who drank unpasteurized milk from rabid cows - Massachusetts, 1996-1998. CDC - Morbidity and Mortality Weekly Report. Information obtained from website: <http://www.cdc.gov/ncidod/dvrd/rabies/Professional/MMWRtext/mmwr4811.htm>.
- CDC (Centers for Disease Control and Prevention). 2007c. Rabies – Prevention and Control. Information obtained from web site: <http://www.cdc.gov/ncidod/dvrd/rabies/prevention&control/ovalvacc.htm>.
- CDC (Centers for Disease Control and Prevention). 2007d. Compendium of animal rabies prevention and control, 2007. CDC – Morbidity and Mortality Weekly Report. 56(RR03):1-8. Information obtained from website: <http://www.cdc.gov/mmwrR/preview/mmwrhtml/rr5008a1.htm>.
- Clark, K.A. and P.J. Wilson. 1995. Canine and gray fox rabies epizootics in Texas. *Great Plains Wildl. Damage Workshop*. 12:83-87.
- Clark, W.R. and E.K. Fritzell. 1992. A review of population dynamics of furbearers. In: McCullough, D.R., R.H. Barrett, Eds. *Wildlife 2001: populations*. London, England: Elsevier. 899-910.

- Connolly, G. E., and W. M. Longhurst. 1975. The effects of control on coyote populations. Div. of Agric. Sci., Univ. of California Davis. Bull. 1872. 37p.
- Damaso, C.R., J.J. Esposito, R.C. Condit, and N. Moussatche. 2000. An emergent poxvirus from humans and cattle in Rio de Janeiro State: Cantagalo virus may derive from Brazilian smallpox vaccine. *Virology*. 277(2):439-49.
- Davidson, W.R., V.F. Nettles, L.E. Hayes, E.W. Howerth, and C.D. Couvillion. 1992. Diseases diagnosed in gray foxes (*Urocyon cinereoargenteus*) from the southeastern United States. *J. Wildl. Dis.* 28(1):28-33.
- Debbie, J.G. 1991. Rabies control of terrestrial wildlife by population reduction. Pp. 477-484 in, ed. G.M. Baer, The natural history of rabies. CRC Press, Boston, MA.
- Ellis, D.H. 1981. Responses of raptorial birds to low-level jet aircraft and sonic booms. Results of the 1980-81 joint U.S. Air Force-U.S. Fish and Wildlife Service Study. Institute for Raptor Studies, Oracle, AZ. 59p.
- Elvinger, F. 2001. Oral rabies vaccine safety. Online fact sheet - Fairfax County, VA Oral Rabies Project, available at <http://www.fairfax.va.us/SERVICE/HD/vaccsafe.htm>.
- Evans, R.H. 1982. Canine distemper: Diagnosis and treatment. In *Wildlife Rehabilitation*. Vol. 1. Exposition Press, Smithtown, New York. 127-137.
- Farry, S.C., S.E. Henke, A.M. Anderson, and G.M. Fearneyhough. 1998a. Responses of captive and free-ranging coyotes to simulated oral rabies vaccine baits. *J. Wildl. Dis.* 34(1):13-22.
- Farry, S.C., S.E. Henke, S.L. Beasom, and G.M. Fearneyhough. 1998b. Efficacy of bait distributional strategies to deliver canine rabies vaccines to coyotes in southern Texas. *J. Wildl. Dis.* 34(1):23-32.
- Flamand, A., P. Coulon, F. Laray, and C. Tuffereau. 1993. Avirulent mutants of rabies virus and their use as live vaccine. *Trends in Microbiology*. 1(8):317-320.
- Fraser, J.D., L.D. Frenzel and J.E. Mathisen. 1985. The impact of human activities on breeding bald eagles in north-central Minnesota. *J. Wildl. Manage.* 49:585-592.
- Grubb, T.G. and R.M. King. 1991. Assessing human disturbance of breeding bald eagles with classification tree models. *J. Wildl. Manage.* 55:500-511.
- Grubb, T.G. and W.W. Bowerman. 1997. Variations in breeding bald eagle responses to jets, light planes and helicopters. *J. Raptor Res.* 31(3):213-222
- Grubb, T.G., W.W. Bowerman, J.P. Giesy and G.A. Dawson. 1992. Responses of breeding bald eagles to human activities in northcentral Michigan. *Can. Field-Nat.* 106:443-453.
- Guerra, M.A., Curns, A.T., Rupprecht, C.E., Hanlon, C.E., Krebs, J.W., and Chiles, J.E. 2003. Skunk and raccoon rabies in the eastern United States: temporal and spatial analysis. *Emerging Infectious Diseases*. 9(9):1143-1151.
- Hable, C.P., A N. Hamir, D. E. Snyder, R. Joyner, J. French, V. Nettles, C. Hanlon, and C. E. Rupprecht. 1992. Prerequisites for oral immunization of free-ranging raccoons (*Procyon*

- lotor*) with a recombinant rabies virus vaccine: Study site ecology and bait system development. J. Wildl. Dis. 28(1):64-79.
- Hadidian, J., S.R. Jenkins, D.H. Johnston, P.J. Savarie, V.F. Nettles, D. Manski, and G.M. Baer. 1989. Acceptance of simulated oral rabies vaccine baits by urban raccoons. J. Wildl. Dis. 25(1):1-9.
- Hahn, E.C. 1992. Safety of Recombinant Vaccines *in* Isaacson, R.E. ed. Recombinant DNA Vaccines: Rationale and Strategy. New York: Dekker. Pp. 387-400.
- Hanlon, C.A., J.E. Childs, V.F. Nettles. 1999. Rabies in wildlife - Article III, Special Series - Recommendations of a national working group on prevention and control of rabies in the United States. J. Amer. Vet. Med. Assoc. 215(11):1612-1620.
- Hanlon, C.A., M. Niezgoda, A.N. Hamir, C. Schumacher, H. Koprowski, and C.E. Rupprecht. 1998. First North American field release of a vaccinia-rabies glycoprotein recombinant virus. J. Wildl. Dis. 34:228-39.
- Hanlon, C.A., M. Niezgoda, V. Shankar, H.S. Niu, H. Koprowski, and C.E. Rupprecht. 1997. A recombinant vaccinia-rabies virus in the immunocompromised host: Oral innocuity, progressive parenteral infection, and therapeutics. Vaccine. 15(2):140-8.
- Hanlon, C.A. and C.E. Rupprecht. 1997. Considerations for immunocontraception among free-ranging carnivores: The rabies paradigm. Contraception in Wildlife Management. USDA Technical Bulletin No. 1853, U.S. Department of Agriculture, Washington, D.C. 185-194.
- Hanlon, C.L., D.E. Hayes, A.N. Hamir, D.E. Snyder, S. Jenkins, C.P. Hable, and C.E. Rupprecht. 1989. Proposed field evaluation of a rabies recombinant vaccine for raccoons (*Procyon lotor*): Site selection, target species characteristics, and placebo baiting trials. J. Wildl. Dis. 25(4):555-567.
- Herman, Y.F. 1964. Isolation and characterization of a naturally occurring poxvirus of raccoons. Bacteriol. Proc. 64<sup>th</sup> Ann. Mtg. Amer. Soc. Microbiol. p. 117.
- Hoff, G.L., S.J. Proctor, and L. P. Stallings. 1974. Epizootic of canine distemper virus infection among urban raccoons and gray foxes. Journal of Wildlife Diseases. 10:423-428.
- Huntley, J., S. Oser, A. Kurst, and L. Karackoloff. *unpublished* 1996. The impact of the wildlife rabies epizootic on public health in New York State: A cost benefit analysis of primary vs. secondary intervention strategies. New York State Department of Agriculture and Markets, Division of Animal Industry, 1 Winners Circle, Albany, NY 12235.
- Johnston, D.H., D.G. Joachim, P. Bachmann, K.V. Kardong, R.E. Stewart, L.M. Dix, M.A. Strickland, and I.D. Watt. 1987. Aging furbearers using tooth structure and biomarkers *In* M. Novak, J.A. Baker, M.E. Obbard and B. Malloch (Eds.); Wild Furbearers Management and Conservation in North America, Ontario Ministry of Natural Resources, Toronto. Pp. 228-245.
- Kushlan, J.A. 1979. Effects of helicopter censuses on wading bird colonies. J. Wildl. Manage. 43:756-760.

- Lawson, K.F., D.H. Johnston, J.M. Patterson, R. Hertler, J.B. Campbell, and A.J. Rhodes. 1989. Immunization of foxes by the intestinal route using an inactivated rabies vaccine. *Can. J. Vet. Res.* 53:56-61.
- Lawson, K.F., H. Chiu, S.J. Crosgrey, M. Matson, G.A. Casey, and J.B. Campbell. 1997. Duration of immunity in foxes vaccinated orally with ERA vaccine in a bait. *Can. J. Vet. Res.* 61:39-42.
- Linhart, S.B., J.C. Wodlowski, D.M. Kavanaugh, L. Motes-Kreimeyer, A.J. Montoney, R.B. Chipman, D. Slate, L.L. Bigler, and M.G. Fearneyhough. 2002. A new flavor-coated sachet bait for delivering oral rabies vaccine to raccoons and coyotes. *J. Wildl. Dis.* 38(2):363-377.
- Linhart, S.B., J. Wlodkowski, V. Nettles, T. Harbin, L. Motes-Kreimeyer, and M. Mackowiak. 1997. A modified bait for delivering V-RG rabies vaccine to wildlife. *Rabies Am. Conf.*; No. 8: ("Rabies in the Americas Conference, November 2-6, 1997, Kingston, Ontario, Canada"; MacInnes, Charles D. [convener], editor).
- Linhart, S.B., F.S. Blom, R.M. Engeman, H.L. Hill, T. Hon, D.I. Hall, and J.H. Shaddock. 1994. A field evaluation of baits for delivering oral rabies vaccines to raccoons (*Procyon lotor*). *J. Wildl. Dis.* 30(2):185-194.
- Linhart, S.B., F. S. Blom, G.J. Jasch, J.D. Roberts, R.M. Engeman, J.J. Esposito, J.H. Shaddock, and G.M. Baer. 1991. Formulation and evaluation of baits for oral rabies vaccination of raccoons (*Procyon lotor*). *J. Wildl. Dis.* 27(1):21-33.
- MacInnes, C.D., and LeBer, C.A. 2000. Wildlife management agencies should participate in rabies control. *Wildlife Society Bulletin.* 28(4):1156-1167.
- MacInnes, C.D. 1998. Rabies, in M. Novak, J.A. Baker, M.E. Obbard, B. Mallock, eds, Wild Furbearer Management and Conservation in North America. Ontario Trappers Association/Ontario Ministry of Natural Resources, Toronto, Ontario, Canada. Pp. 910-929.
- Mahnel, H. 1987. Experimental results on the stability of poxviruses under laboratory and environmental conditions (*in German*). *J. Vet. Med. Ser. B.* 34(6):449-464.
- McGuill, M.W., S.M Kreindel, A. DeMaria, Jr., A.H. Robbins., S. Rowell, C.A. Hanlon, C.E. Rupprecht. 1998. Human contact with bait containing vaccine for control of rabies in wildlife. *JAVMA.* 213(10):1413-1417.
- Meltzer, M.I. 1996. Assessing the costs and benefits of an oral vaccine for raccoon rabies: a possible model. *Emerging Infectious Diseases* 2(4):343-349.
- Merial. 2007. Raboral V-RG® - Oral Rabies Vaccine for Wildlife. Information obtained from website: [http://www.raboral.com/veterinarians/about\\_raboral.asp](http://www.raboral.com/veterinarians/about_raboral.asp).
- Milius, S. 1998. No raccoon boom after vaccination program. *Science News.* 153(18): 277.
- Noah, D.L., M.G. Smith, J.C. Gotthardt, J.W. Krebs, D.Green, and J.E. Childs. 1995. Mass human exposure to rabies in New Hampshire: Exposures, Treatment, and cost. *Public Health Briefs*, National Center for Infectious Diseases, 1600 Clifton Rd. Mailstop G-13, Atlanta, GA 30333. 3p.

- Nolte, D.L., J.R. Mason, G. Eple, E. Aronov, and D.L. Campbell. 1994. Why are predator urines aversive to prey? *J. Chem. Ecol.* 20(7):1505-1516.
- Nowak, R.M. 1975. Retreat of the jaguar. *National Parks Conservation Magazine* 49(12):10-13.
- Oertli, E.H., G.M. Moore, B. Hicks, and P. Wilson. 2002. The Texas oral rabies vaccination program 1995-2002. Texas Department of Health, Zoonosis Control Division. Paper obtained from website: <http://www.tdh.state.tx.us/zoonosis/ORVACp/information/>.
- Omlin, D. 1997. Tools for safety assessment – vaccinia-derived recombinant rabies vaccine. BATS (Biosicherheitsforschung und Abschätzung von Technikfolgen des Schwerpunktprogrammes Biotechnologie). Swiss National Science Foundation. Paper obtained from website: <http://www.bats.ch/abstr/>.
- Pastoret, P.P., B. Brochier, J. Blancou, M. Artois, M. Aubert, M.-P. Kieny, J.-P. Lecocq, B. Languet, G. Chappuis, and P. Desmettre. 1992. Development and deliberate release of a vaccinia rabies recombinant virus for the oral vaccination of foxes against rabies. In: Binns, M.M.; Smith, G. L., eds. *Recombinant Poxviruses*. Boca Raton: CRC Press. Pp. 163-206.
- Pastoret, P.P., B. Brochier, and D. Boulanger. 1995. Target and non-target effects of a recombinant vaccinia-rabies virus developed for fox vaccination against rabies. *Dev. Biol. Stand. Basel, Karger.* 84:183-193.
- Pence, D.B. 1995. Disease and coyotes in Texas. Symposium proceedings from Coyotes in the Southwest: A Compendium of our Knowledge. Paper obtained from TEXNAT (Texas Natural Resource Server) website: <http://texnat.tamu.edu/symposia/coyote/p4.htm>.
- Ricketts, T.H., E. Dinerstein, D.M. Olson, C.J. Loucks, W. Eichbaum, D. DellaSala, K. Kavanagh, P. Hedao, P.T. Hurley, K.M. Carney, R. Abell, and S. Walters. 1999. *Terrestrial ecoregions of North America: A conservation assessment*. World Wildl. Fund - U.S. and Canada. Island Press. Washington, DC. 485p.
- Rosatte, R.C., C.D. MacInnes, M.J. Power, D.H. Johnston, P. Bachman, C.P. Nunan, C. Wannop., M. Pedde, L. Calder. 1993. Tactics for the control of wildlife rabies in Ontario (Canada). *Rev. Sci. Tech. Off. Int. Epiz.* 12(1):95-98.
- Rosatte, R.C., M.J. Power, C.D. MacInnes, and J.B. Campbell. 1992. Trap-vaccinate-release and oral vaccination for rabies control in urban skunks, raccoons and foxes. *J. Wildl. Dis.* 28(4):562-571.
- Rosatte, R.C., D.R. Howard, J.B. Campbell, and C.D. MacInnes. 1990. Intramuscular vaccination of skunks and raccoons against rabies. *J. Wildl. Dis.* 26(2):225-230.
- Roscoe, D.E. 1993. Epizootiology of canine distemper in New Jersey raccoons. *J. Wildl. Dis.* 29(3):390-395.
- Rupprecht, C.E., L. Blass, K. Smith, L.A. Orciari, M. Niezgoda, S.G. Whitfield, R.V. Gibbons, M. Guerra, and C.A. Hanlon. 2001. Human infection due to recombinant vaccinia-rabies glycoprotein virus. *N. Engl. J. Med.* 345(8):582-586.

- Rupprecht, C.E., C.A. Hanlon, H. Koprowski, and A.N. Hamir. 1992a. Oral wildlife rabies vaccination: development of a recombinant virus vaccine. *Trans. 57<sup>th</sup> N. A. Wildl. & Nat. Res. Conf.* Pp. 439-452.
- Rupprecht, C.E., C.A. Hanlon, L.B. Cummins, and H. Koprowski. 1992b. Primate responses to a vaccinia-rabies glycoprotein recombinant virus vaccine. *Vaccine*. 10:368-374.
- Rupprecht, C.E., B. Dietzschold, J. B. Campbell, K. M. Charlton, and H. Koprowski. 1992c. Consideration of inactivated rabies vaccines as oral immunogens of wild carnivores. *J. Wildl. Dis.* 28(4):629-635.
- Rupprecht, C.E., B. Dietzschold, J.H. Cox, and L.G. Schneider. 1989. Oral vaccination of raccoons (*Procyon lotor*) with an attenuated (SAD-B<sub>19</sub>) rabies virus vaccine. *J. Wildl. Dis.* 25(4):548-554.
- Rupprecht, C.E., A.N. Hamir, D.H. Johnston, and H. Koprowski. 1988. Efficacy of a vaccinia-rabies glycoprotein recombinant virus vaccine in raccoons (*Procyon lotor*). *Rev. Infect. Dis.* 10:Supplement 4:803-809.
- Rupprecht, C.E. and M.P. Kieny. 1988. Development of a vaccinia-rabies glycoprotein recombinant virus vaccine. Pp. 335-364 in *Rabies*, J. Campbell and K. Charlton, eds., Kluwer Acad Pub., Boston, MA.
- Shwiff, S.A., R.T. Sterner, M.T. Jay, S. Parikh, A. Bellomy, M.I. Meltzer, C.E. Rupprecht, and D. Slate. *In press*. Direct and indirect costs of rabies exposure: A retrospective study in southern California (1998-2002). *J. Wildl. Dis.*
- Slate, D., Chipman, R.B., Rupprecht, C.E., and DeLiberto, T. 2002. Oral rabies vaccination: A national perspective on program development and implementation. *Proceedings from the 20<sup>th</sup> Vertebrate Pest Conference*. University of California, Davis. Pp. 232-240.
- Stalmaster, M.V. and J.L. Kaiser. 1997. Flushing responses of wintering bald eagles to military activity. *J. Wildl. Manage.* 61(4):1307-1313.
- Steelman, H.G., S.E. Henke, and G.M. Moore. 2000. Bait delivery for oral rabies vaccine to gray foxes. *J. Wildl. Dis.* 36(4):744-751.
- Steelman, H.G., S.E. Henke, and G.M. Moore. 1998. Gray fox response to baits and attractants for oral rabies vaccination. *J. Wildl. Dis.*; 34(4): 764-770.
- TDSHS (Texas Department of State Health Services), Infectious Disease Control Unit. 2007a. Oral Rabies Vaccination Programs. Information obtained from website: <http://www.dshs.state.tx.us/idcu/disease/rabies/orvp/>.
- TDSHS (Texas Department of State Health Services), Infectious Disease Control Unit. 2007b. Oral Rabies Vaccination Programs – Statistics. Information obtained from website: <http://www.dshs.state.tx.us/idcu/disease/rabies/orvp/statistics/>.
- TDSHS (Texas Department of State Health Services), Infectious Disease Control Unit. 2007c. Oral Rabies Vaccination Programs – Maps. Information obtained from website: <http://www.dshs.state.tx.us/idcu/disease/rabies/maps/2006/>.
- Texas Parks and Wildlife. 2007. Endangered and Threatened Species. Information obtained from website: <http://www.tpwd.state.tx.us/huntwild/wild/species/endang/index.phtml>.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Biotechnology, Biologics, and Environmental Protection (BBEP). *undated a.* Veterinary Biologics Risk Analysis. Rabies, Vaccine, Live Vaccinia Vector (BA1901-1.298). USDA, APHIS, BBEP.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Biotechnology, Biologics, and Environmental Protection (BBEP). *undated b.* Veterinary Biologics Risk Analysis. Rabies, Vaccine, Live Vaccinia Vector (BA1901-4.298). USDA, APHIS, BBEP.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Wildlife Services. 2007a. Finding of no significant impact (FONSI) for 2004 supplemental environmental assessment oral vaccination to control specific rabies virus variants in raccoons, gray foxes, and coyotes in the United States. USDA, APHIS, Wildlife Services, 4700 River Road, Unit 87, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Wildlife Services. 2007b. Monitoring Report-Calendar Year 2005-for Environmental Assessments Concerning the Management of Rabies in the United States. USDA, APHIS, Wildlife Services, 6213-E Angus Drive, Raleigh, NC 27617.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Wildlife Services. 2007c. Cooperative Rabies Management Program National Report 2005. USDA, APHIS, Wildlife Services. Washington, D.C. (unnumbered report).

USDA (U.S. Department of Agriculture), National Agricultural Statistics Service. 2007. U.S. and State Data. Information obtained from website: <http://www.nass.usda.gov/>.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Wildlife Services. 2006. Environmental assessment (EA) and decision/finding of no significant impact (FONSI) – Oral vaccination to control specific rabies virus variants in raccoons on National Forest System lands in the United States. USDA, APHIS, Wildlife Services, 4700 River Road, Unit 87, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Wildlife Services. 2005. Cooperative Rabies Management Program National Report 2004. USDA, APHIS, Wildlife Services. Washington, D.C. (unnumbered report).

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Wildlife Services. 2004a. Supplemental environmental assessment (EA) and finding of no significant impact (FONSI) – Oral vaccination to control specific rabies virus variants in raccoons, gray foxes, and coyotes in the United States. USDA, APHIS, Wildlife Services, 4700 River Road, Unit 87, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Wildlife Services. 2004b. Environmental assessment (EA) and finding of no significant impact (FONSI) – Oral vaccination to control specific rabies virus variants in raccoons on National Forest System lands in the United States. USDA, APHIS, Wildlife Services, 4700 River Road, Unit 87, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Wildlife Services. 2003. Supplemental environmental assessment (EA) and finding of no significant impact (FONSI) – Oral vaccination to control specific rabies virus variants in

raccoons, gray foxes, and coyotes in the United States. USDA, APHIS, Wildlife Services, 4700 River Road, Unit 87, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Wildlife Services. 2002. Finding of no significant impact (FONSI) for environmental assessment oral vaccination to control specific rabies virus variants in raccoons, gray foxes, and coyotes in the United States. USDA, APHIS, Wildlife Services, 4700 River Road, Unit 87, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Wildlife Services. 2001. Environmental assessment (EA) and finding of no significant impact (FONSI) – Oral vaccination to control specific rabies virus variants in raccoons, gray foxes, and coyotes in the United States. USDA, APHIS, Wildlife Services, 4700 River Road, Unit 87, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Animal Damage Control Program. 1997. Final Environmental Impact Statement - revised October 1997. USDA, APHIS, Wildlife Services Operational Support Staff, 4700 River Road, Unit 87, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Biotechnology, Biologics, and Environmental Protection (BBEP). 1995a. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) – Proposed Issuance of a Conditional United States Veterinary Biological Product License to Rhone Merieux, Inc., for Rabies Vaccine, Live Vaccinia Vector. USDA, APHIS, BBEP, 4700 River Road, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Animal Damage Control Program. 1995b. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) – Proposed Field Application of an Experimental Rabies Vaccine, Live Vaccinia Vector, In South Texas. USDA, APHIS, BBEP, 4700 River Road, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Biotechnology, Biologics, and Environmental Protection (BBEP). 1994a. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) – Proposed Field Test of an Experimental Rabies Vaccine, Vaccinia Vector, Cape Cod Canal, Massachusetts. USDA, APHIS, BBEP, 4700 River Road, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Biotechnology, Biologics, and Environmental Protection (BBEP). 1994b. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) – Proposed Field Test of an Experimental Rabies Vaccine, Vaccinia Vector, Cape Cod Canal, Massachusetts. USDA, APHIS, BBEP, 4700 River Road, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Biotechnology, Biologics, and Environmental Protection (BBEP). 1994c. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) – Proposed Field Test of an Experimental Rabies Vaccine, Vaccinia Vector, Northern Cape May Peninsula, New Jersey. USDA, APHIS, BBEP, 4700 River Road, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Biotechnology, Biologics, and Environmental Protection (BBEP). 1993. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) – Proposed Field Test of an



Experimental Rabies Vaccine, Vaccinia Vector, Northern Cape May Peninsula, New Jersey. USDA, APHIS, BBEP, 4700 River Road, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Biotechnology, Biologics, and Environmental Protection (BBEP). 1992. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) – Proposed Field Trial in New Jersey of a Live Experimental Vaccinia-Vector Recombinant Rabies Vaccine for Raccoons. USDA, APHIS, BBEP, 4700 River Road, Riverdale, MD 20737-1234.

USDA (U.S. Department of Agriculture), Animal and Plant Health Inspection Service (APHIS), Biotechnology, Biologics, and Environmental Protection (BBEP). 1991. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) – Proposed Field Trial in Pennsylvania of a Live Experimental Vaccinia-Vector Recombinant Rabies Vaccine for Raccoons. USDA, APHIS, BBEP, 4700 River Road, Riverdale, MD 20737-1234.

USDI (U.S. Department of Interior), Fish and Wildlife Service (USFWS). 2007a. Threatened and Endangered Species System (TESS) - Threatened and Endangered Animals and Plants in Texas. Information obtained from website:  
<http://www.fws.gov/endangered/wildlife.html>.

USDI (U.S. Department of Interior), National Park Service (NPS). 2007b. Palo Alto Battlefield National Historic Site, Texas. Information obtained from website:  
<http://www.nps.gov/paal/>.

USDI (U.S. Department of Interior), National Park Service (NPS). 2006. NPS Management Policies 2006. NPS Office of Policy, 1849 C Street, NW, Room 2414, Washington, DC 20240. NPS D1416-December 2000. 141 p. Information obtained from website:  
<http://www.nps.gov/policy/MP2006.pdf>.

USDI (U.S. Department of the Interior), National Park Service (NPS). 2005a. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) - Oral Rabies Vaccination Program for Northeast Region Northern Coastal Barrier Network Parks. USDI/NPS, Northeast Region, U.S. Custom House, 200 Chestnut St., Fifth Floor, Philadelphia, PA 19106.

USDI (U.S. Department of the Interior), National Park Service (NPS). 2005b. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) - Oral Rabies Vaccination Program for Northeast Region Northeast Temperate Network Parks. USDI/NPS, Northeast Region, U.S. Custom House, 200 Chestnut St., Fifth Floor, Philadelphia, PA 19106.

USDI (U.S. Department of the Interior), National Park Service (NPS). 2005c. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) - Oral Rabies Vaccination Program for Northeast Region Eastern Rivers and Mountains Network Parks. USDI/NPS, Northeast Region, U.S. Custom House, 200 Chestnut St., Fifth Floor, Philadelphia, PA 19106.

USDI (U.S. Department of the Interior), National Park Service (NPS). 2005d. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) - Oral Rabies Vaccination Program for Northeast Region Mid-Atlantic Network Parks. USDI/NPS, Northeast Region, U.S. Custom House, 200 Chestnut St., Fifth Floor, Philadelphia, PA 19106.

USDI (U.S. Department of the Interior), National Park Service (NPS). 2004. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) - Oral Rabies Vaccination

Program (on Southeast Region NPS units). USDI/NPS, Southeastern Region, 100 Alabama St. SW, 1924 Building, Atlanta, GA 30303.

USDI (U.S. Department of the Interior), National Park Service (NPS). 2003. Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) - Oral Rabies Vaccination Program, Big Bend National Park, Guadalupe Mountains National Park, Amistad National Recreation Area, Texas. USDI/NPS, Intermountain Region, 12795 Alameda Parkway, Denver, CO 80225.

USDI (U.S. Department of Interior), Fish and Wildlife Service (USFWS). 1999. Biological Opinion (BO) — Effects of the Nationwide Wildlife Services Program on the Jaguar. USDI-USFWS, 2321 W. Royal Palm Road, Suite 103. Phoenix, AZ 85021-495. 19 p.

USDI (U.S. Department of Interior), Fish and Wildlife Service (USFWS). 1998. Biological Opinion (BO) and Conference Opinion — Effects of the Nationwide Wildlife Services Program on the Mexican Gray Wolf. USDI-USFWS, P.O. Box 1306, Albuquerque, NM 87103. 17 p. and Appendices A & B.

USDI (U.S. Department of Interior), Fish and Wildlife Service (USFWS). 1997. Biological Opinion (BO) — Effects of the Nationwide Wildlife Services Program on the Ocelot and Jaguarundi. USDI-USFWS, P.O. Box 1306, Albuquerque, NM, AZ 87103. 23 p.

USDI (U.S. Department of the Interior), National Park Service (NPS). 1995. Report of effects of aircraft overflights on the National Park System. USDI-NPS D-1062, July, 1995.

WWHC (Western Wildlife Health Committee). *Undated*. A model protocol for purchase, distribution, and use of pharmaceuticals in wildlife. Western Association of Fish and Wildlife Agencies. Contact: J. deVos, AZ Game and Fish Dept., 2221 W. Greenway Rd., Phoenix, AZ 85023. 9 p.

Wandeler, A.I. 1991. Oral immunization of wildlife. Pp. 485-505 *in* The natural history of rabies, 2<sup>nd</sup> ed., GM Baer, ed, CRC Press, Boca Raton, FL.

Watson, J.W. 1993. Responses of nesting bald eagles to helicopter surveys. Wildl. Soc. Bull. 21:171-178.

White, C.M. and S.K. Sherrod. 1973. Advantages and disadvantages of the use of rotor-winged aircraft in raptor surveys. Raptor Research. 7:97-104.

White, C.M. and T.L. Thurow. 1985. Reproduction of ferruginous hawks exposed to controlled disturbance. Condor. 87:14-22.